

610.02 057c
This issue contains the OCTOBER INDEX

CURRENT LIST of MEDICAL LITERATURE

Vol. 17

October 28, 1949

No. 14-A



FOUNDED 1836

THE ARMY MEDICAL LIBRARY

Washington, D. C.

1915
CURRENT LIST
OF
MEDICAL LITERATURE



The **CURRENT LIST OF MEDICAL LITERATURE** is for sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. Price. \$3.00 per year (\$3.75 foreign); 10 cents per single copy. All communications regarding subscriptions should be addressed to the Superintendent of Documents

Published weekly by the **ARMY MEDICAL LIBRARY**, 7th Street & Independence Ave., S. W., Washington 25, D. C., as an intraservice publication of the Department of the Army. Lists articles of medical interest contained in current journals received. Subject index provided monthly. Exchange invited.

The subject headings used in the indexes to the CURRENT LIST OF MEDICAL LITERATURE follow, in the main, the form of those established by the QUARTERLY CUMULATIVE INDEX MEDICUS, published by the American Medical Association, Chicago, Illinois.

Because of limitations of space, no cross references are included in the indexes to the CURRENT LIST. Users of these indexes are referred to the QUARTERLY CUMULATIVE INDEX MEDICUS for the necessary cross references to any desired subject.

In order further to conserve space, the subject subdivisions used have been abbreviated wherever practicable. A list of the abbreviations adopted appears below:

abnorm. abnormalities	in inf. & child. in infants and children
accomm. & refrac. accommoda- tion and refraction	indust. industrial
addict. addiction	infarc. infarction
admin. & dos. administration and dosage	infect. infection, infectious
admin. & org. administration and organization	inflamm. inflammation
anat. & histol. anatomy and histology	inj. injuries, injurious
appar. apparatus	innerv. innervation
artif. artificial	insuff. insufficiency
bact. bacteriology	med. medical, medicine
bibliogr. bibliography	ment. mental
bod. body, bodies	metab. metabolism
chem. chemistry	morphol. morphology
comm. communicable	mortal. mortality
compl. complications	nerv. nervous
cond. conditions	obst. obstetrics
congen. congenital	obstruct. obstruction, obstruc- tive
defic. deficiency	pathol. pathology, pathological
deform. deformities	perf. perforation
degen. degeneration	phys. physical
dent. dental, dentistry	physiol. physiology, physio- logic
determ. determination	pois. poisoning
develop. development	postop. postoperative
diag. diagnosis, diagnostic	pregn. pregnancy
dis. diseases	preop. preoperative
disloc. dislocations	prep. preparation, preparations
disord. disorders	preserv. preservation
econ. economic	prev. prevention
educ. education	prod. production
eff. effects	progn. prognosis
embryol. embryology	progr. progress
epidemiol. & statist. epidemi- ology and statistics	psychiat. psychiatry, psychiatric
etiol. & pathogen. etiology and pathogenesis	psychol. psychological, psychology
exam. examination	pub. public
excis. excision	regen. regeneration
exper. experimental	roent. roentgenography
for. bod. foreign bodies	rupt. rupture
form. formations	san. sanitation
fract. fractures	seq. sequels
Gt. Brit. Great Britain	serv. services
gyn. gynecology	soc. social
hemorrh. hemorrhage	standard. standardization
hered. heredity	strict. stricture
hist. history	surg. surgery, surgical
hosp. hospitals, hospitaliza- tion	ther. therapy
hyg. hygien.	tox. toxicity
immun. immunity	train. training
	transm. transmission
	transpl. transplantation
	traum. traumatic
	U. S. United States
	wds. wounds

SUBJECT INDEX

Vol. 17, Nos. 12-14 (cols. 600-800)

October 28, 1949

- ABDOMEN, acute cond. 639v, 774b, 798-1; dis. 642k; drainage 629c, 639b, 644d, 702p, 727s; exam. 695b; pain 759l; surg. 643k, 718f; wds. & inj. 691e, 704f
- ABNORMALITIES AND DEFORMITIES, 642h, 654a, 763h; dent. 680c
- ABORTION, 625c, 625n, 651-1, 693k, 761v; compl. & seq. 773k, 784e; ther. 687j; tubal 625-1
- ABSCCESS, subphrenic 670g
- ACANTHOSIS, nigricans 650o
- ACHONDROPLASIA, 662t
- ACID, acetoacetic 677v; adenylic 698p; adenylypyrophosphoric 737i; aminoacetic 612u, 676b, 741t, 743w; p-aminobenzoic 615a, 650w, 705q, 725s, 750m; aspartic 744a; aspergillit 749q; carboxylic 614g; fatty 624i; fumaric 677-1; glutamic 791o; ketobutyric 614t; octadecenoic 659v; phenylpyruvic 743v; pyruvic 613u, 615c, 678h; succinic 690u; trichloroacetic 627q
- ACIDOSIS, in inf. & child. 755m
- ACNE, 617m, 746-1
- ACONITE, deriv. 613t, 742h; tox. 760w
- ACRIDINE DYES, 623i
- ACROCEPHALY, 697h
- ACRODYNIA, 663-1
- ACROMEGALY, 635-1, 712m
- ACTINOMYCETES, 779m
- ACTINOMYCOSIS, cutaneous 786j
- ADDISON'S DISEASE, 645c, 784r
- ADENINE, 676g
- ADENOIDS, excis. 642t
- ADENOSIN, triphosphate 676f, 677u, 678j
- ADHESIONS, 767c, 799a; abdominal 619d
- ADRENAL PREPARATIONS, 650q, 718w, 779h, 779i, 788m; determ. 741w; eff. 619s, 647q, 647s, 675t, 714g; synth. 678b; ther. 652v
- ADRENALS, 625q, 794n; cancer 734e, 769w; eff. of drugs on 647w; embryol. 737d; excis. 645r; hemorrh. 643m, 780j; insuff. 797b; physiol. 625w; secretion 796q, 796v; tumors 727v, 734e, 765t
- AGGLUTININS AND AGGLUTINATION, 618v, 638g, 726t, 762n, 773f, 793s; hemagglutination 627f, 648c, 678c, 704r, 719u, 799t
- AIR, bact. 655v
- ALBINISM, 630t
- ALBUMINURIA, 783q
- ALCOHOLISM, 627w, 629i, 684g, 684h, 684i, 684j, 696t; diag. 788u; hist. 684j; ther. 634g, 642d, 684e, 684f, 684g, 712f, 776f
- ALKALI, 664-1
- ALKALOSIS, 716t; in inf. & child. 755m
- ALLANTOIN, 629g
- ALLANTOIS, 750-1
- ALOPECIA, 680v; cicatrizzata 746k
- ALTITUDE, 796q, 796p; high 651m, 693g
- ALVEIN, 794b
- AMEBAE, 685-1, 738a
- AMEBIASIS, 631t, 705j, 705u, 715f, 764h; diag. 770i; epidemol. & statist. 692p; hepatic 701i; ther. 644r, 702a, 755m, 770u
- AMERICAN ACADEMY OF GENERAL PRACTICE, 640g, 705k
- AMIDINES, ther. 701b
- AMINES, 795-1
- AMINO ACIDS, 611p, 613i, 675s, 675v, 676e, 676m, 677b, 677d, 677p, 681r, 683h, 741o, 741p, 741q, 743k, 751d, 778s; biochem. 686c; determ. 659p, 730d, 743f; metab. 611m, 614q, 742c; ther. 693j
- AMINOFLUORENE, 674r
- AMMONIA AND AMMONIUM COMPOUNDS, 743k
- AMNION, 725n
- AMPHETAMINE, 650a, 761f, 782b; tox. 634i
- AMPUTATION, 688b, 717s, 719h, 733v, 771-1, 776o
- AMYLASE, 677e, 715c, 744e
- AMYLOIDOSIS, 646e, 690r; diag. 680a; exper. 686d
- AMYLOSE, 632b
- ANALGESICS, 635g, 795b, 795o
- ANAPHYLAXIS AND ALLERGY, 609h, 609j, 609p, 627a, 631v, 655p, 690m, 705p, 725f, 777g; bacterial 704s; exper. 657g, 778d, 789v; in child. 609o; manifestations 609d, 641b, 699c, 699o, 716g, 746t, 754o, 755-1, 768w, 770v; passive 627n; ther. 655i, 693w, 709t, 759j, 764s, 766m, 781v
- ANATOMY, 736e
- ANDROGENS, 716n, 767i; eff. 622g, 689k, 751n, 778f; metab. 619r; ther. 635q, 693j, 761-1, 763d, 766-1
- ANEMIA, 628k, 635i; aplastic 626c, 705f; erythroblastic 757o; etiol. & pathogen. 611r; exper. 750a; hemolytic 625v, 662o, 704r, 728b, 753i, 768j, 769p; hypochromic 625t, 694g; in inf. & child. 642e, 716m, 770a; sickle cell 626a, 729e; splenic 633g; ther. 717a
- ANEMIA, PERNICIOUS, 641c, 708w, 713n; compl. & seq. 631s, 723t, 754f; diag. 662p; ther. 702b, 754h, 786o
- ANESTHESIA, 656c, 673o, 673p, 673q, 710n, 711e, 716c, 783a, 786i; alcohols 615s; appar. 702i, 776t, 777m; barbital & barbital deriv. 623q, 646j, 651a, 661w, 710u, 767r, 777m, 782s; carbon dioxide in 750n; compl. & seq. 609p, 638g, 704e, 716d, 769q; curare 612s; cyclopropane 612s; ether 625d; in dent. 615s, 616d, 679p, 744w; in gyn. & obst. 623t, 645-1, 708r, 733q, 734b, 751v, 760r; in inf. & child. 714u, 760t; intratracheal 640t; intravenous 642e; lidocaine 679p; nitrous oxide 744w; premedic. 653a; procaine & procaine compounds 719-1, 725a; spinal 643k, 695d, 707j, 751v, 761m, 776c
- ANEURYSM, 781h, 789w, 797o; aortic 645v, 670e, 691e, 711b, 740g, 757k, 758a; arteriovenous 735a; dissecting 740i; pulmonary 755d; splenic 735c; vertebral 735f
- ANGINA PECTORIS, 690u; ther. 638c, 646i, 707-1, 782k, 785c, 794j
- ANIMALS, age determ. 736d; ecology 685r; exper. 648k, 655s, 685r; reprod. 736c
- ANIMISM, 751q
- ANKLE, wds. & inj. 716e, 785m
- ANTABUSE, 684e
- ANTACIDS, 664j
- ANTHISAN, 640v
- ANTHOXYAN, 751h
- ANTHRAX, 776a
- ANTHROPOLOGY, 623-1; cultural 673u, 673v, 673w, 674a; research 674c
- ANTIBIOTICS, 627d, 651i, 676m, 715f, 765q, 767a, 775g, 782m, 793u; eff. 691b; ther. 638o, 656b, 681o, 689h, 705v
- ANTIGENS AND ANTIBODIES, 609g, 617n, 622f, 627p, 763v, 764a, 778n
- ANTIMONY, ther. 688q

- ANTIPIRETICS, 651m
 ANTISEPSIS AND ANTISEPTICS, 729j; pharmacol. asp. 793t
 ANUS, abnorm. 728o, artif. 787u; dis. 664e; tuberculosis 746j
 ANXIETY, 649i
 AORTA, dis. 652f; inflamm. 760j; roent. 669r; strict. 612m, 644j, 647a, 707a, 715-1, 716v, 734k, 740j, 757i, 759k, 786-1; surg. 782o; syphilis 691e
 AORTIC VALVE, inflamm. 760j; strict. 691e
 APHASIA, 772s
 APOMORPHINE, 712f
 APPARATUS, 684s, 684t, 684u, 684v, 685b, 701j, 722s, 751g, 768d
 APPENDICITIS, 643-1, 702n, 733u, 781g; compl. & seq. 642o; diag. 669t; in inf. & child. 705d; ther. 640b
 APPENDIX, mucocele 624t, 735g, 735k; roent. 669t; tumors 703i
 APPETITE, 762b; disord. 646j
 ARACHNODACTYLIA, 707c, 740i
 ARACHNOID, inflamm. 729g
 ARGININE, 677r, 677s
 ARMS, surg. 671t; tumors 612w; wds. & inj. 671t
 ARMY MEDICAL CENTER, 656-1
 ARRHYTHMIA, 741b, 763p; auric. flutter 612s, 636c, 709t, 740v; diag. 786f; ventric. fibrill. 612m
 ARSENIC AND ARSENIC COMPOUNDS, 622m, 727a, 795p; ther. 633q, 755m, 767o; tox. 680q
 ARTERIES, carotid 651v, 722w, 726h; cerebral 654e; mesenteric 766m; occlusion 709n, 739u; pathol. 612m; physiol. 665m, 665n; pulmonary 727e; roent. 668m, 722w; spasm 651m, 656v; spinal 699n; subclavian 669r; surg. 739p; syphilis 654e; temporal 694s, 772r; thyroid 651v; tibial 760b
 ARTERIOSCLEROSIS, 634t, 751p; exper. 739v; renal 705e, 752b
 ARTHRITIS, 609j; diag. 654h; gonorrheal 754a; in inf. & child. 788-1; ther. 657j, 720w, 773-1, 788m
 ARTHRITIS, RHEUMATOID, 652s, 692u, 759i; compl. & seq. 757r; in inf. & child. 692t; ther. 710d, 753i
 ASCARIASIS, 729e, 735h; etiol. & pathogen. 610i
 ASCITES, 670j, 764m
 ASCORBIC ACID, 609v, 619p, 665q, 684m, 724f, 751i, 770g; chem. 724k, 724-1; determ. 749h, 751h; eff. 676r, 687a; ther. 715r
 ASPIRATION, 666f
 ASTHENIA, 617j
 ASTHMA, 630i, 630k, 641t, 644d, 653n, 711q, 755k, 760r, 774n, 775r, 788g; compl. & seq. 699v; etiol. & pathogen. 609i; in inf. & child. 775q; ther. 609m, 609q, 631d
 ASTIGMATISM, 660g, 697p
 ATAXIA, hereditary 723f, 792b
 ATHLETICS, cardiovascular asp. 740p
 ATHEROSIS, 790o
 ATLAS AND AXIS, fract. 798j
 ATOMIC ENERGY, 622k, 622o, 622p, 640h, 678-1, 678n, 683-1, 683m, 727g, 732o, 744q, 748t, 750d, 788a, 788c
 ATROPHY, muscular 642q, 727r
 AUROMYCIN, 641r, 644n, 680s, 699k, 715e, 775s; eff. 627i; ther. 618-1, 618n, 632e, 680v, 690o, 716o, 746u, 754q, 756u, 759o, 762w, 766u, 771j
 AVIATION AND AVIATORS; 683d, 702d, 749n; med. 655w, 719e; physiol. & pathol. eff. 736f, 772a, 800v; pub. health asp. 757-1; tests 721f; transport. of wounded & sick 720c
 AZOBENZENES, 780i
 BACKACHE, 644u, 645u, 690a, 691r, 715p, 733s, 772g
 BACTERIA, 694d; clostridium 638t, 678t, 776u; coli 615a, 634u, 694-1, 743a, 767h, 795s; culture 689i, 778h, 799s; hemophilus 755c, 760u; lactic acid group 613n, 613s, 676r, 677i, 749v; listeria 699a; metab. 611f, 777w, 793w; mucosus capsulatus group 797n; pseudomonas 727t; streptobacilli 650b; subtilis 729b; variability 683n; viability 745b, 794c, 795m; virulence 627k
 BACTERIOLYSIS, 676t
 BACTERIOPHAGE, 627m; typhoid group 800a
 BAL, eff. 627e; ther. 635-1, 639b, 642b, 680q; tox. 707h, 771r
 BALANTIDIASIS, 765e
 BARBITAL AND BARBITAL DERIVATIVES, 680b, 759q, 795-1
 BEANS, 742n, 778s
 BERYLLIUM, eff. 614j, 614k
 BEVERAGES, 720e
 BILE, acids & salts 767n
 BILE DUCTS, calculi 695e; cancer 654-1; strict. 764h; wds. & inj. 798t
 BILIARY TRACT, roent. 632h, 635r, 652h, 669m, 687u; surg. 645i
 BIOLOGICAL PRODUCTS, 689u
 BIOLOGY, 611n, 613c; teaching 683p
 BIOMETRY, 613d, 736u
 BISMUTH AND BISMUTH COMPOUNDS, admin. & dos. 617-1; ther. 697-1; tox. 716a
 BLADDER, 775k; anat. & histol. 624p; cancer 735p; diverticula 711l, 735o; drainage 735p; for. bod. 693b; hernia 734h; inflamm. 716w; pain 650i; tumors 695i, 777a
 BLINDNESS, 710i; in inf. & child. 663k, 710h
 BLOOD, 643o, 645m, 661u, 758t, 776q; alcohol 769-1; bilirubin 764n; calcium 612p, 692c, 704o, 789p; chem. 638a; chlorides 800o; cholesterol 773c; cholinesterase 647c; circulation 667r, 718o, 730i, 739t, 762u; colloids 765f; copper 662j, 677i, 800r; count 642k, 779g; enzymes 629i, 646v, 697j, 742o; exam. 650i, 689p, 748m; fats & lipoids 614m, 741u, 796m; groups 701c, 709h, 794a; iron 632r; lipase 799c; nitrogen 697c; osmotic pressure 647d; oxygen 615e; phenols 774f; phosphatase 630m; plasma 639c, 765f, 779u; platelets 625w, 697s, 699-1, 726n, 767p, 796n; potassium 612p, 618r, 789g; prothrombin 628q, 665p, 675r, 688c, 703p; reaction 717e, 765f, 765h; salicylic acid 662o; sodium 618u; spec. grav. 647d; streptomycin 662-1; uric acid 697a; volume 647b, 755n
 BLOOD COAGULATION, 626d, 628u, 629b, 648g, 649k, 675h, 688o, 695n, 700g, 704o, 752g, 762n, 766q, 783r
 BLOOD PRESSURE, 619s, 628e, 694f, 706u, 707e, 741a; determ. 640n, 740j; low 629e
 BLOOD PRESSURE, HIGH, 631f, 645j, 647a, 696f, 701q, 708m, 709g, 709n, 710e, 715m, 754-1, 756b, 782k; compl. & seq. 618r, 688i; exper. 778r; metab. in 612n; surg. ther. 631i, 696h, 713d, 776c, 780i; ther. 775f, 779b, 779h
 BLOOD PROTEINS, 614e, 626b, 626c, 628v, 636u, 649m, 659r, 662i, 663i, 676a, 718q, 742j, 764q, 765b, 765h, 779a, 782a, 783q, 794d
 BLOOD SUGAR, 628i, 678d; hyperglycemia 647q; hypoglycemia 754k, 759-1
 BLOOD TRANSFUSION, 639f, 687o, 688-1, 701c, 752f, 753i, 787h; compl. & seq. 764q; donors 702k; exper. 798w; preserved blood in 640s, 781c; substitutes 710n; technic 702n, 765g
 BLOOD VESSELS, abnorm. 727e; anastomosis 766j; dis. 699r, 718f, 734q; roent. 722v; wds. & inj. 709t
 BODY, 646v; weight 758c
 BONES, 758r, 768d; abnorm. 668n, 668o; atrophy 668f, 734v; cancer 668w, 710t, 788k; dis. 632b, 640m, 668h, 669b, 709q, 711l, 777d, 786u, 786v, 794n, 777p; fragility 734v, 789d; growth 673k, 777j; marrow 653o, 680u, 694m, 757o, 779v, 788i; pathol. 700p, 776b; roent. 657i; surg. 773d; syphilis 717k; transpl. 640j, 687v, 714t, 778r; tuberculosis 774t, 785r; tumors 638t, 669e, 707i, 735f, 758s,

- 769b,783v; wds. & inj. 785r
BORRELIDIN, 876m
BRAIN, abnorm. 659d; anat. & hist. 609u,610c,651r, 651s,736e,789v,790d; blood supply 629h; calcification 797r; cancer 722f; chem. 741n,780b,780c; cyst 659g; dis. 657s,727a,788t,789-1,789m,789u, 790b,791a; hemorrh. 662w,785p; localization of function 640u,658k,658o,758p,790l,796r; pathol. 673r,759f,772d,790h; physiol. 727b,790i; roent. 655i,658f,668a,714v; surg. 659a,697u,703p,708v, 722i,723d,761g,785i,788r,790b,790k,790o,790r; syphilis 639p; tuberculosis 790s; tumors 663h, 790o; wds. & inj. 772s,786r,788t,791b,791c
BREAST, abnorm. 636-1; cancer 641m,656j,668e, 668u,668v,668w,669a,669f,674k,687b,693-1,710r, 713t,738t,739n,761-1,763d,774p,786m; dis. 708k, 734u; hypertrophy 671v,729c; inflamm. 633h; nipple 752j; physiol. 674g; surg. 671v,671w; tumors 669e
BROAD LIGAMENT, tumors 798m
BROMIDE AND BROMINE, 729k,750r,750s,795s; tox. 728q
BRONCHI, abnorm. 797k,799h; cancer 669r,713s, 720s,722f,726r; cysts 691s; roent. 758d; tuberculosis 636o,707d,784m; tumors 670d,705h,734m, 783s
BRONCHIECTASIS, 630i,630k,670c,702p; ther. 723o
BRONCHITIS, 645t
BRONCHOPNEUMONIA, 643u
BRONCHOSCOPY, 711q,712c,732u,759w
BURNS, 767u; ther. 641g,671c,709r,797w
BURSITIS, ther. 634j
BUTTOCKS, tuberculosis 746j
CADMIUM, 765f
CALCIFICATION, 616m,616n,616p,639r,649g,684m, 694r,754g,797q
CALCIUM AND CALCIUM COMPOUNDS, 751m, 772c; determ. 613w; renal eff. 665d
CAMPBOR, 656i
CAMPS, 728v,754d
CANCER, 642v,656j,693q,696n,739e,786c; cells 714a,739k; chorionic 706v; clinica 738u,771o; diag. 624e,651e,669r,670e,714a,714b,726r,738m, 738n,738o,747o,772-1,785-1; epithelioma 756o, 781f; etiol. & pathogen. 679c,738k,738-1,738q, 739d,739f,739h,739i,739p; exper. 613e,674o,677f, 714c,739-1,739p,756t,756u; melanocarcinoma 669d; metastases 625g,640q,669-1,675b,691q, 706h,710t,722f,733p,734g,780q,788k; pathol. 738t, 739h; precancerous conditions 745n,746m,767n; prev. 739c; radium ther. 669f; radiother. 668e, 668k,668u,668v,668w,669a,669g,669n,738u,739a, 739b; ther. 643b,671c,674t,675c,679p,690j,738g, 738-1,738s,738t,775b,794k
CAPILLARIES, permeability 665e,697s,706c,796c
CARBOHYDRATES, 744h; in diet 649a; metab. 615c, 712m,718n,730j,794n
CARBON DIOXIDE, 787e; eff. 780c; metab. 743s
CARBON DISULFIDE, tox. 769q
CARBON TETRACHLORIDE, tox. 624r
CARBUNCLES, 719-1
CARDIOLIPIN, 735v
CARDIOVASCULAR DISEASES, 672f,693t,713b,717g, 785a; diag. 629r,777o; surg. in 754-1; ther. 637e,701j,766g
CARDIOVASCULAR SYSTEM, 631t,707-1; abnorm. 690e; eff. of drugs on 675-1,796e; insuff. 665n, 678f,697n; roent. 645p,652c,652d,652e,653c, 732n; surg. 690e; syphilis 740a
CAROTENE, 750f,751o
CAROTID SINUS, 612r,759e; surg. 633e
CARTILAGE, 661f
CASTOREUM, 748s
CASTRATION, 641m,694o
CATALASE, 678e,678f,678g
CATARACT, 656r,660k; compl. & seq. 792n; etiol. & pathogen. 792m; extraction 633n,793b; indust. & traum. 793p
CATHERERS, 773t
CECUM, cancer 751g; dis. 779n; diverticula 631o
CELIAC DISEASE, 728n,768j,794n; etiol. & pathogen. 712j; exper. 648-1
CELLS, division 651u,663e,738a; growth 613f; metab. 611i; mitochondria 673g; nuclei 683b
CELLULITIS, diag. 721a
CELLULOSE, 799f
CEREALS, 667u
CEREBELLUM, abscess 704p; dis. 701q; tumors 646g,663r
CEREBROSPINAL FLUID, 703g,712q,714v,760k; tests 712f
CESAREAN SECTION, 623q,625m,642g,687i,695a, 697q,708g,752c
CHALK, 655a
CHEESE, 796t
CHEMISTRY, 751g; phys. 750g
CHICKENPOX, 699c
CHICORY, 667t
CHILD WELFARE, 664f,765s,794h
CHILDREN, 794g; dis. 727m,794r; educ. & train. 630p,710h; growth & develop. 730v; nerv. & ment. disord. 657s,657t,658b,658c,667g; psychol. 636q,666w,729f
CHIN, dis. 786j
CHLORAL HYDRATE, 664p
CHLORGUANIDE, 648w
CHLORIDES, metab. 665e; separation 665-1
CHLORINE AND HYPOCHLORITE DERIVATIVES, 667w,780-1
DICHLOROETHYL SULFIDE, 675c,701w,765r
CHLOROMYCETIN, 627i,690o,699k,701d,715e,757b, 775s; eff. 648f; ther. 641a,728v,794h
CHLOROPHYLL, ther. 746u
CHOLERA, 707k
CHOLESTEROL, 739v,742v,751d; determ. 614o; eff. 649f; metab. 619c,620s
CHOLINE AND CHOLINE DERIVATIVES, 614g, 637u,647h,647k,676-1,676o,677b,683o,741s,744c, 779d,781i; antagonists 636f; eff. 683b; tox. 636f
CHOLINESTERASE, 623g,647c
CHOREA, 780k,790o
CHORIOMENINGITIS, 716o
CHROMATOGRAPHY, 677-1,685-1,749t,795q; inorganic 622-1
CHROMOSOMES, 684c,751b
CHYLOPERITONEUM, 663f
CHYMOTRYPSIN, 613n,614a,648d; ther. 648e
CICATRIZ, 687r
CIRCUMCISION, 745i
CITRATES, 749q; form. 676w
CLAUDICATION, intermittent 612u,711b,711n
CLAVICLE, disloc. 714r; roent. 733a
CLIMACTERIC, 649t,789f
CLIMATE, 693g,696r,696s
CLONORCHIOSIS, 762v
CLOTHING, 729t
COBALT, eff. 758v,800q
COCAINE, eff. 796n
COCCIDIOIDOMYCOSIS, 733i,761r,763a,797p
COCKROACHES, 778j
CODEINE, 644c,757c
COITUS, 621k,621-1,782o; orgasm 621f,621n
COLDICINE, eff. 767p
COLD, eff. 710f,722c
COLITIS, ulcerative 617i,681o,704s,705t,705u,754q, 754r,755w,798r
COLLAGEN, 676d,707r
COLON, 734f; abnorm. 671a; cancer 640q,655n, 717s,759m,769b,781g; dilatation 773a; dis. 705w, 775d; diverticula 732n; surg. 698n,699g,706b,

- 774m; tumors 759j
COLOR BLINDNESS, 660v, 750p, 758q
COLOR PERCEPTION, 623c, 666e
COLORIMETER AND COLORIMETRY, 621s
COLOSTRUM, 773g
COMMUNICABLE DISEASES, 644m; in inf. & child.
 705d; prev. 698n; ther. 644m, 691b
COMPLEMENT, fixation 617v, 626v, 712p
CONDYLOMA, 661b
CONNESSINE, 702a
CONJUNCTIVA, blood supply 796a; surg. 792k;
 tuberculosis 725j
CONSTIPATION, 775w
CONSTITUTION, 654i
CONTRACTURE, 687r
CONVULSIONS, 695a, 722-1, 729a, 780b; exper. 629f,
 722j; in inf. & child. 692h; ther. 648j
COPPER, metab. 744g; ther. 641m
COPROPHILIA, 723j
CORN, 749h
CORNEA, 725h; blood supply 793a; dis. 792b, 792-1;
 physiol. 724q; surg. 792t, 792u; wds. & inj. 792s
CORONARY VESSELS, 737n; circulation 759e; dis.
 690n, 716a, 726w, 756a, 766r; occlusion 768k
CORTISONE, 710d, 721c
COSMETICS, 628d, 667s, 716b, 763g
COWPOX, 799t
CRANIUM, dis. 659c, 668f, 669i; ossification 639f;
 tuberculosis 658v; tumors 717h
CRESOLS, 795a
CRIME AND CRIMINALS, 621f, 749n, 781o; psychol.
 & psychiatric asp. 723p, 789o
CRIPPLES, 710i
CRYPTOCOCCOSIS, 733j, 778b
CRYSTALS, 622q
CULTURE, 673u
CURARE, 777m; eff. 658o; ther. 774c, 783p
CUSHING SYNDROME, 727v, 753h, 769w
CYANIDES, 678e
CYANOSIS, 663m
CYCLOHEXANE, 622r; tox. 779w
CYMELE, 620k
CYSTINE & CYSTINE DERIVATIVES, 614t
DATURA, 795g, 795q
DDT, 611g, 611s, 611w, 612e; eff. 622u
DEAF-MUTISM, 710j
DEAFNESS, 683a, 711f, 726k; etiol. & pathogen.
 711g, 754u, 772a; in inf. & child. 727n; ther. 628m,
 661q, 712u, 715o, 770c
DEATH, 693j, 740f, 765w, 794g; causes 682d, 714n,
 788s
DEFICIENCY DISEASES, 629k, 700k, 786u; in inf. &
 child. 770a
DEGLUTITION, disord. 662d, 732t
DELINQUENCY, 666-1
DELIRIUM, tremens 705o
DENTISTRY, 617b, 744q, 744r, 745b; educ. 679a,
 679h; in Swit. 615m; materials 679f, 679o; med.
 & dent. 617c; orthodontic 615h, 615i; preventive
 744s; research 616v
DERMATITIS, 639q, 745g, 746e, 746f, 768w; bullosa
 783h; etiol. & pathogen. 634v, 635a, 638q, 690b,
 746t; exfoliativa 719t; herpeticiformis 618m, 625e,
 783j; ther. 770f, 785h; vegetans 680r; venenata
 766u
DERMATOLOGY, 707q, 783j; appar. 618g; hist.
 654k
DESORYEPHEDRINE, eff. 710u
DETERGENTS, 646p, 750t
DEXTROSE, 741n, 778e, 787c; glycolysis 742s; me-
 tab. 675t; tolerance 614b, 781m
DIABETES INSIPIDUS, 669b; compl. & seq. 769g
DIABETES MELLITUS, 634k, 649q, 698i, 711s, 714f,
 715q, 777c; acidosis in 650k; coma in 631c, 632c;
 compl. & seq. 699q, 699r, 699s, 725e, 769g, 793d;
 exper. 649p, 681-1, 681m, 742w, 750e, 778w, 781u;
 eyes in 693n, 699s, 711u; in inf. & child. 681k,
 699r, 704k, 785d, 791n; mortal. 696-1; pregn. &
 diabetes 681j; ther. 698i, 698r, 709m
DIABETES, RENAL, 681i
DIAGNOSIS, 765n
DIALYSIS, 779u
DIAPHRAGM, 741q; cysts 699n; dis. 797-1; physiol.
 675t, 741p
DIARRHEA, 708i, 727q, 787o; in inf. & child. 662u,
 664e, 692m, 763t
DIATHERMY, 626m, 636f
DIATHESIS, hemorrhagic 654u
DIBENAMINE, 653s
DICUMAROL, eff. 688c; ther. 724u, 799a
DIET AND DIETETICS, 629n; dis. & diet 754r,
 791g; exper. studies 648b; vegetarian 629-1
DIETHYLAMINOETHANOL, 648t
DIGESTIVE SYSTEM, 713i; dis. 635q, 650p, 696f,
 787m
DIGITALIS AND DIGITALIS PREPARATIONS, 766i,
 778u; admin. & dos. 785o
DIPHENHYDRAMINE, eff. 745p
DIPHENYLHYDANTOIN, 768n
DIPHTHERIA, bacilli 686k, 689k; cutaneous 717m;
 immun. 689i, 700j, 713q, 776v, 776w; toxin 742t;
 toxoid 627q
DISEASE, chronic 756s, 757f; dent. 680c; transm.
 682j
DISTOMIASIS, 762a, 782g
DIURESIS AND DIURETICS, 621b, 647e, 650a, 693s,
 756f
DOGS, psychol. 667a
DOUGLAS POUCH, 752h
DRESSINGS, 617u
DRUGS, admin. & dos. 661-1, 661o, 664n; Chinese
 751e; eruptions 746c; ther. 651e; tox. 721g
DUCTUS ARTERIOSUS, 612m, 755d, 797o, 798a
DUODENUM, abnorm. 707g; blood supply 786o;
 cancer 640q, 798i; diverticula 704v, 735c; mucosa
 786o; strict. 669w; surg. 645i, 671d, 774q, 798i
DYSCHONDROPLASIA, 711j
DYSERYENTRY, 787o
DYSMENORRHEA, 719n, 775n
DYSPNEA, 786b, 786d
DYSTROPHY, 727-1
EAR, dis. 661v, 701q, 712b; external 793m; internal
 793-1; middle 768n, 775h, 777s; physiol. 662c;
 surg. 768n
ECLAMPSIA, 752r; etiol. & pathogen. 765t; ther.
 645h, 707o, 752o, 770k, 775c
ECONOMICS, MEDICAL, 641u, 702u, 763j; fees 634s,
 hist. 702w
ECZEMA, 680k, 696-1, 735r, 776k, 783m; diag. 681c;
 etiol. & pathogen. 618o, 768b, 783-1; exper. 747a;
 in inf. & child. 643h, 711v, 723s; ther. 783m
EDEMA, 645t, 695i, 718p, 757r, 762b, 768g; cardiac
 629c, 650j, 782u; ther. 791q
EDUCATION, MEDICAL, 683p, 698b, 698d, 698e,
 732b, 758m; graduate 758-1; in Argentina 692k;
 in Hungary 643e; in Scotland 694b; teaching
 698f
EGGS, 750-1; in diet 724h
ELBOW, wds. & inj. 766h
ELECTROCARDIOGRAPHY, 612p, 612q, 628t, 629a,
 629r, 632m, 645d, 655k, 675i, 675j, 696u, 700k, 708n,
 716a, 740b, 740c, 740-1, 740n, 740o, 740s, 740u, 741a,
 758u, 762-1, 764u, 764v, 766r, 770n, 789g; in old age
 690r; rheum. fever 675j, 740d
ELECTRODES, 666f
ELECTROENCEPHALOGRAPHY, 658g, 658q, 721j,
 722h, 722i, 722j, 722k, 722-1, 722m, 722n, 722o, 722p,
 722r, 722s, 723e, 771g, 786f, 788r
ELECTROLYTES, metab. 665e

- ELECTRONS**, 7320; diffraction 685d
ELECTROPHORESIS, 676a,800n; appar. 685f
ELEMENTS, CHEMICAL, 620p
EMBOLISM, 728n,764d; cerebral 780n; gas 702k;
 pulmonary 700b,735s,766i; ther. 629v,700h
EMBRYOLOGY, 779a
EMETINE AND EMETINE COMPOUNDS, ther.
 702a
EMOTIONS, 655q,696p,765w
EMPHYSEMA, in inf. & child. 762q; mediastinal
 706r,735-l; pulmonary 638n,690v,702d; sub-
 cutaneous 706r,798-l
EMPYEMA, 638w,781j; in inf. & child. 628j; ther.
 706t,774v; tuberculous 630c,784a
ENCEPHALITIS, 654j,750v; diag. 727t; epidemic
 650u,731g,789m; epidemol. & statist. 731i;
 etiol. & pathogen. 692v; postvaccinal 727t,777c;
 virus 731g,731i,778n
ENCEPHALOMYELITIS, 627b,693a; equine 688a,
 731i; etiol. & pathogen. 731e; exper. 789v
ENDARTERITIS, obliterans 790t
ENDOCARDITIS, 694i; etiol. & pathogen. 755c,
 756e; exper. 651j; infect. 631u,650b,656e,690n,
 698v,740e,753p,775g,788n
ENDOCRINE GLANDS, 619p,713f,751n; dent. asp.
 679t; dis. 657-l,668h,776n; physiol. 632f
ENDOCRINE THERAPY, 657j,751q
ENDOMETRIOSIS, 653e,670j,687w,688a,698-l,703v,
 735k
ENDOTHELIUM, 694i
ENEMATA, 775u
ENZYMES, 632c,677l,678h,741i,741m,741s,742k,
 742m,742p,743h,743q,744c,744i,750j,750k,750w,
 778q,793v; aconitase 613-l; decarboxylase 613h;
 eff. 742q,744d; pancreas conjugase 623e; pepti-
 dase 613j,615a; proteolytic 613v,675v; staphylo-
 coagulase 6680; staphylokinase 648h; tyrosinase
 614f
EOSINOPHILS, 619v,638h,638t,646b,694u,719t,727m,
 755m,774s
EPIDERMOLYSES, bullosa 618e
EPILEPSY, 634d,642g,654q,722r,780k; etiol. & patho-
 gen. 772g; exper. 722m; in inf. & child. 794s;
 myoclonus 791a; pathol. 723h; ther. 634f,722e,
 722n,757h,789t
EPIPHYSES, separation 715u
ERGOSTEROL, 741k
ERGOT AND ERGOT PREPARATIONS, 644c; eff.
 621b,632p,760a
ERYTHEMA, induratum 617s,672u; multiforme
 617i,690t,718v,745u; nodosum 772m,772q
ERYTHROBLASTOSIS, exper. 637p; pathogen.
 688-l
ERYTHROCYTES, 625t,662m,676u,728t,743q,793v,
 794a,796i; count 675k; fragility 688m; metab.
 611f; permeability 647g
ESOPHAGOSCOPY, 768p
ESOPHAGUS, 700d; abnorm. 794m; anat. & physiol.
 737k; atresia 706v,706w,710w,752m; cancer
 653d,692e,694v,710b,713t,734n,7470; dilatation
 735i,773a; dis. 747r; diverticula 718g,732k,768q,
 799-l; for. bod. 661n,773c; hemorrh. 747n; ob-
 struct. 701b; perf. 661n; rupt. 747q; strict. 747r,
 773c; surg. 649u,739q; tumors 799d; varix 759i
ESTROGENS, 620a,624j,699m,706d,718d,737g,767i,
 779n; admin. & dos. 620a; eff. 614m,624j,649d,
 6940,758r; metab. 620j,677m; ther. 687b,718i,
 763d,773s; tox. 763e
ETHANOLAMINES, 724i
ETHER, determ. 635c
ETHICS, MEDICAL 656g,773v; professional se-
 crecy 696i
ETHYLENE GLYCOL, 795s
EUSTACHIAN TUBE, 6990
EXANTHEMS, 702j,781s
EXERCISE, eff. 729v; therapeutic 697v
EXOPHTHALMOS, 653m,730e,745g
EXPECTORATION, 706g
EXTREMITIES, artif. 709e; blood supply 612v,711s,
 729u,766j; pain 769f,771h; paralysis 715v,769q;
 surg. 782d
EYELASHES, 725m
EYELIDS, cancer 738k; dis. 696-l,724p,787g; surg.
 663n,793b
EYES, 754-l,765n; accomm. & refrac. 660e,773i,
 791v,793i; allergy 609n; artif. 679e,720p; diag-
 nostic significance 639k; dis. 610t,644v,654c,
 660n,7050,724v,7310,786t,792j,792o,792r,793d;
 for. bod. 7250; hemorrh. 720r; hyg. 660t; in
 various conditions 725e,792h,793g; movements
 660e,791t; muscles 793e; paralysis 786g; surg.
 758g; tension 660o,792e; wds. & inj. 694p,7310
FACE, cancer 662b,679p; dis. 788v; expression
 695j; surg. 636g,671u; tuberculosis 745w; tu-
 mors 663h; wds. & inj. 616f
FALLOPIAN TUBES, 667h,779n; prolapse 777t;
 roent. 701i; torsion 757a; tuberculosis 695h,
 773j
FAMILY, 689a
FAT, 670p,692s; digestion 6830,795v; in diet 659v,
 660a,751m; metab. 614m,646p,677k; staining
 750o
FAVUS, 745q
FECES, blood in 619k; exam. 773d; fat in 734v,
 747-l
FECUNDITY, 682f
FEMUR, fract. 707d,715t,717v,733r,771r,780t,882s;
 roent. 645s
FETUS, 623u
FEVER, 786c; etiol. & pathogen. 657a; therapeutic
 716h
FIBRINOGEN, 797g
FIBULA, abnorm. 609v; surg. 717q
FILARIASIS, 610n; ther. 701f,701g,731m
FINGERS AND TOES, abnorm. 697h; dis. 662v;
 innerv. 710p; surg. 671h,717f; wds. & inj. 719w
FISH, 749j
FISTULA, aorto-caval 740q; arteriovenous 628a,
 777j; biliary 795v,798k; branchial 747s; broncho-
 esophageal 711p; esophago-tracheal 706v,710w;
 gastrocolic 692t; pleural 632b; sigmoidovesical
 798b; vesicovaginal 625e
FLEAS, 750a
FLIES, 612g,738b; eradication 611s,612a,612h
FLUIDS, 794a
FLUORESCENCE, 621a
FLUORIDES, 616g,616r,678r,678v; ther. 709f
FLUOROACETATES, tox. 656a
FOLIC ACID, 614v,647i,648v,648w,754h; antagonist
 622g,682v,685n; deriv. 677g; eff. 6370; prod.
 677i; ther. 768j
FOOD, 6220,629n,629o,724e,724g,724j; allergy 6180,
 746f; flavor 622w; pois. 650p,757a; sanit. 612i,
 719j
FOOT, dis. 668n,746g,785q; flat 720j; pain 628a;
 tuberculosis 639r; wds. & inj. 670w,716e
FOOT AND MOUTH DISEASE, virus 750n
FOREIGN BODIES, in air & food passages 639e,
 663b,695f,704n,726c,726j
FORMALDEHYDE, 627a
FRACTURES, 628d,726d; ther. 671-l
FRAMBESIA, 679i
FRONTAL BONE, 792i; pathol. 761g
FROSTBITE, ther. 717u,736j
FRUITS AND VEGETABLES, 667u,751f; in diet
 724i
FUNGI, 617q,738s,742a,748u,750f,764u,779b
FUNGICIDES, 729u

- FURAN DERIVATIVES, 749s; metab. 614r
 FURMETHIDE, ther. 660r
 FURUNCULOSES, ther. 775u
 FUSOSPIROCHETOSIS, 680y; ther. 616f
 GALLBLADDER, abnorm. 781g; cancer 640q, 733p;
 cysts 693c; dis. 619i, 688g, 709k, 761-l; excis.
 703r; inflamm. 646b, 781t; pathol. 618g; roent.
 713m; rupt. 773r; surg. 705a; wds. & inj. 773r
 GALLIUM, 683n
 GAMMEXANE, ther. 622j
 GANGLION, cervical 757s; spiral 725r; surg.
 645r
 GAS, 750r; pois. 664w
 GASTROENTEROLOGY, 747i
 GASTROENTEROSTOMY, 687t
 GASTROINTESTINAL TRACT, dis. 681p, 774j; in-
 flamm. 692o, 754b, 771k; motility 757u; roent.
 646s; tumors 650b
 GEMER COUNTERS, 684w
 GELATIN, 798o
 GENITALS, cancer 714d, 738m; dis. 709v, 766v; pro-
 lapse 775o; roent. 669v; tumors 650r; ulcers
 756p; whale 610b
 GENITOURINARY TRACT, prolapse 671e; tuber-
 culosis 773p
 GIRAFFE, 736f
 GLANDS, insects 611k
 GLASSES, 660i; contact 660f
 GLAUCOMA, 639f, 725d, 725-l, 725m, 793g; etiolo. &
 pathogen. 725j; ther. 640g, 660r, 724u, 725n, 792-l,
 793h
 GLOBULIN, 741j
 GLOVES, 693e
 GLUTAMINE, metab. 614d; synth. 678i, 678j
 GLUTATHIONE, metab. 677w
 GLUTEN, 659s
 GLYCERALDEHYDE, 741n
 GLYCOGEN, 678a, 744j, 778i, 779g, 780a; in liver &
 muscle 615b, 615c, 663j, 673h, 779-l, 796v; metab.
 676b, 711s; synth. 675t
 GÖTTER, 709d, 768c; epidemiol. & statist. 637b,
 696s; intratracheal 640r
 GÖTTER, EXOPHTHALMIC, 701k; ther. 697u, 768s,
 768u
 GOLD AND GOLD COMPOUNDS, 747f; ther. 695g;
 tox. 635-l, 680q
 GOLGI APPARATUS, 737r, 737i
 GONADOTROPINS, 625k, 647u, 778v; eff. 623w
 GONADS, 621k; exper. 619o
 GONOCOCCI, culture 618a
 GONORRHEA, penicillin ther. 656-l, 694j, 694k; prev.
 & control 637i, 735f; streptomycin ther. 656-l;
 ther. 756u
 GOUT, 652n; metab. in 620d; ther. 709m
 GRANULOCYTOPENIA, 660q, 756w, 773e
 GRANULOMA, 725u; dent. 679u; inguinal 647r,
 771j; ther. 639p
 GROWTH, 622k, 676g, 677n, 682t, 743v, 747v, 769-l,
 772v; exper. studies 647k, 648b, 659v, 677b, 677d,
 685v, 778-l, 779k
 BIGUANIDE DERIVATIVES, ther. 715h
 GUILLAIN-BARRE SYNDROME, 654n, 680j
 GUMS, dis. 618i; surg. 616c; tumors 639m
 GYNECOLOGY, 623o, 764g; diag. in 752h, 756p;
 ther. in 625h, 655f, 693g
 HAIR, excessive 617h; growth 751n
 HALLUCINATIONS, 788v, 791c
 HALOGENS AND HALOGEN COMPOUNDS, 795m
 HAND, 687r, 799e; anat. & histol. 774e; dis. 721b,
 746g, 756a; surg. 707v; wds. & inj. 646a, 720-l
 HARDNESS, 682u, 683m
 HARELIP, 671r, 671s
 HAY FEVER, 771q; ther. 786k
 HEAD, 711-l; tumors 659g; wds. & inj. 720q
 HEADACHE, 637j, 639j, 777f
 HEALTH, 651c, 667i, 667s, 681q, 767s, 788f; educ.
 698e, 791m; resorts 732h
 HEARING, 726f, 772n, 777s; disord. 662f, 790a; phy-
 siol. 622d, 661d, 736f; tests 726f, 726k
 HEART, 630c, 634a, 653u; abnorm. 642q, 652g, 665g,
 739w, 740k, 753p, 759c, 791i; anat. & histol. 741a;
 beat 740-l, 775t; block 633o, 643p, 701i, 706v, 740b,
 740-l, 740v; calcification 740p; clinics 644t; con-
 ductive system 762-l; dilatation 638n, 690v; dis.
 625b, 635f, 675k, 689s, 704v, 706p, 764c; eff. of drugs
 on 632p, 665k, 665-l, 676h, 676i, 676j, 796c, 796j;
 embryol. 753c; for. body 706h; hypertrophy 612q,
 675i; infarct. 675h, 695n, 709h, 717w, 756a, 760w,
 innerv. 620u; insuff. 642-l, 650s, 704h, 710e, 720c,
 740m, 740w, 741a, 754t, 754v, 755t, 762t, 776p; mas-
 sage 769q; metab. 665j, 665k, 676i, 676j; murmurs
 & sounds 675j, 675m, 755s, 787q; muscle 742t;
 pain 634e, 703i; physiol. 665g; rate 642j, 709t,
 762-l; roent. 688q; surg. 749d, 754-l, 775i, 791i,
 791j; syphilis 740p; tumors 760v, 785s; wds. &
 inj. 632m, 740i, 741c
 HEAT, eff. 787m; stroke 723n
 HEMATEMESES, 654m, 757k
 HEMATOMA, 646g
 HEMATURIA, 764c, 7773h *
 HEMIPLEGIA, 729a; compl. & seq. 633s; ther.
 789o
 HEMOCHROMATOSIS, 637m, 681m, 726u, 759f
 HEMOGLOBIN AND HEMOGLOBIN COMPOUNDS,
 622d, 626c, 682g, 762n; determ. 744f
 HEMOGLOBINURIA, 637s; paroxysmal 784p
 HEMOLYSE, 625v, 683c
 HEMOPHILIA, 763r
 HEMOPNEUMOTHORAX, 719m
 HEMOPOIETIC SYSTEM, 624j; dis. 653a, 655-l,
 688k, 704j, 726m, 771q; eff. of drugs on 609-l
 HEMOPTYSIS, 707n, 780p
 HEMORRHOIDS, ther. 652s, 761q
 HEMOSTASIS, 659c
 HEPARIN, 779d; eff. 779r; standard. 794w; ther.
 652h, 736j, 799a
 HEPATITIS, 761-l, 781c; ther. 641p; viral 674n
 HEPATITIS, INFECTIOUS, 682a, 714p, 719-l, 720i;
 blood in 650u; diag. 770i; in inf. & child. 729c
 HEREDITY, 689e, 727n; human 727r, 728u, 792q;
 mechanism 613c, 739-l, 748t, 750q
 HERMAPHRODITISM, 646a, 782d
 HERNIA, compl. & seq. 645u; diaphragmatic 619i,
 654p, 706i, 709s, 718a, 770d, 774d; inguinal 634-l,
 710q, 768k, 776k; strangulated 646d, 757j; surg.
 ther. 761o; ther. 733o; umbilical 776s
 HERPES, 709v; simplex 618-l; zoster 648o, 699c
 HESPERIDIN, 706c
 HIP, dis. 651j, 657k, 713p, 788j; disloc. 640k, 707b,
 714n, 717i, 788j; fract. 655q; surg. 782w; tuber-
 culosis 642f
 HISTAMINE, 693c, 796-l; antagonists 609j, 618p,
 632q, 638d, 640v, 693w, 699t, 708d, 709e, 724t, 725b,
 747d, 781v, 784u, 786k, 795e; eff. 681a; metab.
 719a; ther. 790-l; tox. 618o
 HISTIDINE, metab. 613n
 HISTOPLASMA, 667m
 HISTOPLASMOSIS, 697o, 800a
 HOBBIES, 691s
 HODGKIN'S DISEASE, 630g, 635o, 644f, 653i, 674n,
 738r, 756i; compl. & seq. 656d; ther. 693j, 701w
 HORMONES, 667r; eff. 693n, 736r, 738-l, 738t; sex
 621c, 776g
 HOSPITALS, 626j, 626m, 626n, 626o, 626r, 643n, 652n,
 689e, 690m, 702v; admin. & org. 626b; children's
 641k, 663n; dermatologic serv. 781f; econ. 688s;
 in Hawaii 636p; military & naval 719q, 720m,
 720n; obst. serv. 626k, 707t; pediatric serv. 768e;

- pharmacy 6261,688u; planning 626a,689d; psychiatric 657w; psychiatric serv. 723s; surg. serv. 717c
- HUMERUS, 760n; fract. 656v,707g; tumors 694q
- HYALURONIDASE, 648s,6771,697g,718w,743c,779a, 784d
- HYDANTOINS, tox. 705f
- HYDERGIN, 796-1
- HYDROA, vacciniforme 746h
- HYDROCARBONS, 739o
- HYDROCEPHALUS, 663w,668-1,693b,790b
- HYDROGEN, 621d; peroxide 678f,678g,744b
- HYDROGEN ION CONCENTRATION, 724d
- HYDRONEPHROSIS, 686w,701o; ther. 711h,775j
- HYDROPTHALMOS, 663d,792f
- HYDROTHERAPY, 650p,692a
- HYDROTHERAX, 670j
- HYDROXYLAMINE, 614g
- HYDRYLLIN, 759j
- HYOSCINUS, 795q
- HYPERTROPHY, unilateral 711-1
- HYPNOSIS, 666q,770c
- HYPNOTICS, 770p; tox. 636h
- HYPOSPADIAS, 671j,710r,775k
- HYPOTHALAMUS, anat. & histol. 720a,790e; dis. 790f
- ICHTHYOSIS, hystrix 746m
- IDIOCY, mongolian 662s
- ILEITIS, regional 619h,705w
- ILLUSTRATION, med. 674b
- IMIDAZOLES, 691c,778h; eff. 621b
- IMMUNITY, 705g,787d
- IMPETIGO, 642o
- IMPREGNATION, 682f,785m
- INDIANS, AMERICAN, 670k,759p,791h
- INDUSTRY AND OCCUPATIONS, 689t,690a; dis. & pois. 621p,652r,689s,690b,731o,732t; hyg. 628b,628c,628e,793p; inj. 652r,689v,696p,731o; med. & surg. 627v,628b,641u,689v,689w,716d, 769n,771m
- INFANTILISM, 752k
- INFANTS, 630c; dis. 664d,753q,763-1,786h; feeding 630d,650f,691f,752v,791n,794o; growth & develop. 750w; mortal. 630o,704-1,714n,773h; premature 631c,716m,716n,728c,728e,728r,766o,773g,794s; psychol. 657s
- INFANTS, NEWBORN, 638r,685k,712q,764j; blood in 728d; dis. 663t,715j; hemorrh. in 662w; inj. 663t
- INFECTION, 692u,698a,758j,762d,779f; focal 642k, 717t; immun. 682o; ther. 638o,753v,767q,800q
- INFLAMMATION, 713h
- INFLUENZA, 642a,656o,696d,785m; epidemiol. & statist. 640a,692b,781q; ther. 704q; virus 627e, 627f,647p,648c,649c,676k,678c,750c,750j,779t
- INFRA-RED RAYS, 748l
- INHALATION, 712c
- INJECTIONS, intrathecal 697t; intravenous 644k, 765b,771u
- INSANITY, 722e; manic-depressive 690l,790-1; periodic 772c
- INSECTICIDES, 611t,612c,612i; tox. 612b
- INSECTS, 620q,622e,622j; eradication 715i; in Alaska 612f; repellents 612d
- INSTRUMENTS, 672c
- INSULIN, 649b,743u; eff. 780a; ther. 722b,769v; tox. 754e
- INSURANCE, sickness 759q
- INTERNSHIP, 636k,690-1,698c,719n
- INTESTINES, 671h; abnorm. 798h; anastomosis 670s,799b; anat. & histol. 703h; cancer 670v, 698b,707v,734-1,759-1,771d,774-1,781a; dis. 671m,681v,798h; diverticula 710-1,732-1,732m, 7771,798b; infarct. 634q; innerv. 651w; intuba-
- tion 754o; lavage 637t; motility 665c,669h; ob-
- struct. 639p,735h,7661,780v; parasites 760p; perf. 756d; physiol. 796o; roent. 646q; strict. 785v; surg. 798f,798n; tumors 635p,691b,771d, 798w; volvulus 642o,768k
- INTUSSUSCEPTION, 734g,735g,798b; etiol. & pathogen. 798u
- INULIN, 730h,743n,753g
- IODINE AND IODINE COMPOUNDS, 795s; metab. 620e,674p,685o; tox. 768t
- ION TRANSFER, 644m,741h,794d,797c,800n
- IONIZATION, 750h,797e
- IRIDOCYCLITIS, 725d,746b
- IRGAPYRIN, 7141,714j
- IRIS, abnorm. 615w; dis. 725-1
- IRON, metab. 625u,637r,763u; ther. 644k,692a,762h, 769p; tox. 763t
- ISOAMIDONE, eff. 647g
- ISOTOPEs, 656t,779-1
- JAUNDICE, 619i,656v,664a,688h,704u,718b,761-1, 768s,768u; diag. 645g,750c; etiol. & pathogen. 787t; in inf. & child. 711k; obstructive 767o; of newborn 711k; ther. 633q
- JAWS, cysts 679a,679h,680e,787s; deform. 679v, 679w; fract. 678s; fract. 678p,679q; infect. 744v; osteomyelitis 679h; roent. 649p,744u; surg. 679w; tumors 670o,679h; wds. & inj. 616f
- JOINTS, dis. 650w
- KELOID, 692c
- KERATITIS, 636b,792o; disciformis 758i; etiol. & pathogen. 701n,755-1
- KERATOSIS, 745v,746g; follicularis 745t,746q; gonorrhea 716h
- KHELLIN, determ. 729-1; eff. 729m
- KIDNEYS, abnorm. 695j,737-1,758a; artif. 799k; blood supply 631f,688f,761n,778a; calcification 711j; calculi 624p,696v,758a; dis. 632k,643g, 652t,666b,696v,778r,781d,796-1; excis. 778r; extract 676w; function tests 730h; hemorrh. 647h,780u; insuff. 644d,727s; necrosis 757w; pain 732r; pathol. 686w,798o; pelvis 624p,654i; physiol. 647e,652w,665d,673q,687u,695-1,703s, 710s,758t,783v,785d,796u; roent. 696v; tubercu- losis 653j,655b; tumors 707u,728i; wds. & inj. 735o,759e
- KNEE, ankylosis 640-1; deform. 702q; dis. 772h, 781h,786g; roent. 668j; surg. 712h,772f
- KNIFE, 765u
- KYMOGRAPHY, 752o
- LABOR, 621i,703k,781o; drugs in 614s,687f,734a, 756n,770r; episiotomy in 775r; forceps in 706d; hemorrh. 654g; mechanism 624d; premature 766o; presentation 775f
- LABORATORIES, appar. 749d,778t; diag. 637g; technic 643o
- LACRIMAL ORGANS, 725c,725m; abnorm. 707c; dis. 762e
- LACTEALS, 688d
- LACTOPHENIN, 773-1
- LAMBLIASIS, 727u
- LANGUAGE, 667b,730s
- LARYNX, cancer 716j,739b; dis. 649j; paralysis 793-1; surg. 695p,712t; tuberculosis 691m,784-1
- LATHYRISM, 779g
- LEAD, 689u
- LEARNING, 666a
- LEECHES, 690g
- LEGS, dis. 622j; hypertrophy 680o; tumors 680o
- LEISHMANIASIS, 690g,696t,776k; ther. 701f
- LENS, CRYSTALLINE, 758h
- LEPROSY, 698a,718t; immun. 781q; in inf. & child. 728p; prev. 629u; ther. 713c
- LEUCINIA, 743i
- LEUKEMIA, 644g,688p,697d,767b; compl. & seq.

- 663d, 790v; exper. 778p; myelogenous 630b, 644h, 713j; ther. 631o, 644f, 653o, 716-1, 743e, 765q, 775v
LEUKOCYTES, 621u, 626b, 650q, 767m; count 756w, 796-1; fragility 648p; physiol. 744i; prod. 778k
LICHEN, planus 618r, 746i
LIPASE, antagonists 685m
LIPOCHONDRODYSTROPHY, 662t, 663d
LIPODYSTROPHY, 663a, 744k
LIPIDS, metab. 650f
LIPS, 770g; cancer 672a; innerv. 796s; surg. 697k; tumors 639m
LITERATURE, med. 732f, 732g
LIVER, biopsy 632h, 719f, 720q, 727-1, 776a; blood supply 665o, 688f, 730g; cancer 691q; chem. 742i; cirrhosis 619e, 656a, 688e, 697b, 711k, 718o, 726u, 764m, 774b, 794d; cysts 756c; dis. 632r, 697s, 768c, 770w, 773s, 787t; excis. 727c; extract 642q, 694g, 750a, 754h; fats & lipoids 614m, 741-1, 742l, 797d; function tests 637w, 643r, 688e, 726o, 754h, 755j, 764o, 766e; insuff. 637c, 643r; metab. 677w; pathol. 688h, 726o, 727c, 746g; physiol. 637u, 680n, 713n, 742s; surg. 645i; tuberculosis 711a; wds. & inj. 758e
LOBOTOMY, PREFRONTAL, eff. 658g, 666j
LOYALTY, 685q
LUNGS, abnorm. 727d, 799h; abscess 706t, 757i, 782q; anat. & histol. 757g; cancer 642u, 693s, 693u, 697j, 698j; collapse 764j, 784k; cysts 755d; dis. 692f, 694t, 697c, 753q, 755m, 755r, 782g; echinococcosis 768h; edema 713b, 732e; exam. 650-1; fibrosis 670g, 787s; infarct. 672p, 797m; pathol. 694u, 774s; roent. 668q, 669q, 691p, 704b, 732r; sclerosis 786d; surg. 640r, 712w, 739q, 757p, 771d, 799m; syphilis 632g; tumors 672w, 727a, 756-1, 773n, 785f
LUPUS, erythematosus 680j, 680u, 705q, 707r, 745j, 786u
LYMPH GLANDS, dis. 747p; tuberculosis 672u
LYMPH NODES, calcification 639r; cancer 625b; dis. 645w, 652v, 653a, 708e
LYMPHATIC SYSTEM, dis. 670o, 700s
LYMPHOCYTES, 673i, 764a, 776n; count 756k
LYMPHOGRANULOMA VENEREUM, ther. 632e, 639o, 771j; virus 780e, 780f
LYSINE, 659s
MACULA LUTEA, 660m
MAGNESIUM, determ. 613w
MALARIA, 631v, 644r; congen. 799v; epidemiol. & statist. 719e, 799r; exper. 610q; heart in 764v, 764u; immun. 800c; in inf. & child. 663k; plasmodium 641v, 694f, 800i; prev. & control 612e, 800b; spleen in 672i; ther. 610m, 648w, 715h; therapeutic 792c
MALLEOLI, fract. 640w
MANGANESE AND MANGANESE COMPOUNDS, eff. 705m; metab. 647f
MARRIAGE, 621h
MAST CELLS, staining 686m
MASTOID, surg. 668a
MATERNITY, 621m, 624n, 752i; morbidity & mortal. 687n, 752d
MAXILLARY SINUS, cysts 745d
MEASLES, 663i; immun. 752n
MECONIUM, 705n, 799k
MEDIASTINUM, tumors 632f, 652f, 668q, 717g
MEDICINE, 645n, 771a, 773m; in France 758n, 762g; in Germany 773j; in Gt. Brit. 769f, 770p; in Mexico 771a; in Minn. 703u; in North Carolina 773v; in Poland 732a, 732b; in Sweden 643p; in Swit. 762g; in Vienna 654g; internal 706t; philosophy 622i; prev. 690m, 749m, 787-1; rural 626-1; soc. aspects 626j, 692n, 704g, 762i, 772e; state 762t
MELANIN, 614f, 617h; pigmentation 639s
MELANZOL, 762o
MELENA, 654m
MEMBRANES, egg. 611j
MEMORY, 666d
MENINGES, hemorrh. 643h, 659b, 662w, 663b, 680s, 734k, 768c; tuberculosis 633d, 663t, 693b, 699w, 702j, 703g, 753j, 777e, 777f, 781b, 784c, 786t, 790s, 794i; tumors 797q
MENINGITIS, 778c, 780k; compl. & seq. 792h; diag. 772o; etiol. & pathogen. 663j, 700c; in inf. & child. 668-1, 767h; influenzal 630c, 728e, 755b; meningococcic 701h, 773i; otogenous 726d; ther. 652p, 789n; virus 708c
MENINGOCOCCI, 778i; infect. 762r
MENINGOENCEPHALITIS, 637g
MENOPAUSE, 754i, 775s; disord. 705-1, 706d
MENSTRUATION, 752h; blood in 618v; disord. 623w, 650r, 687d, 752e; inception 692o
MENTAL DEFICIENCY, 646-1, 646m, 646o, 666m
MENTAL DISEASES, 707s, 751r, 754v; involutional 721k, 790-1; mortal. 788s; ther. 653r, 708f, 722c, 769u, 789d
MENTAL TENSION, 642u
MENTAL TESTS, 645k, 657u, 730s, 730t, 736u, 753n, 761h, 761i, 788t
MENTHA, 795i
MERALGIA PARAESTHETICA, 711n
MERCUROCHROME, 656g
MERCURY, 795r; tox. 639b, 756f
MESENTERY, dis. 747p
METABOLISM, 754v; determ. 748t; disord. 634k; exercise & metab. 779r
METACARPUS, fract. 697g
METALS, 621r; determ. 685a
METATARSUS, dis. 773i
METEOROLOGY, 739f
METHADONE, 635g
METHEMOGLOBINEMIA, in inf. & child. 631p
METHIONINE, 613q, 676o, 743p; metab. 613v; ther. 694g
METHYL ALCOHOL, viral eff. 648g
MICE, 764t
MICRO-ORGANISMS, 611m, 666r
MICROSCOPY, 621v, 622a, 622b, 623c, 654u, 697p; appar. 686q, 737i, 750i; electron 611j, 611o, 619n, 627-1, 668g, 679n, 772u
MICROSPOROSIS, 689-1
MIGRAINE, 632q, 702s, 706g, 747m, 754k; etiol. & pathogen. 609n; ther. 706a, 762g, 766-1
MILIARIA, 698w
MILITARY AND NAVAL MEDICINE, 656b, 656k, 660j, 702f, 719v, 720d, 720f, 736m, 787g, 787p; admin. & org. 719o; neuropsych. 666o, 721k, 787w
MILK, 620j, 630q, 689e; fat 685p; human 768i; preserv. 693m
MINERALS, metab. 772d
MIRRORS, semi-transparent 685g
MITES, 610g, 610s, 610u, 610w
MITRAL VALVE, strict. 740a
MOLECULES, 749o
MOLLUSCUM, contagiosum 725v
MOLYBDENUM, 744g
MONILIA, 620n
MONONUCLEOSIS, INFECTIOUS, 765p, 768r, 771w, 773g
MONSTERS, 662s, 794j
MORPHINE, 653a, 664q, 713i; tox. 636h
MOSQUITOES, 683w, 686e, 799w
MOUTH, bact. 680g; cancer 679c, 679p, 738h; dis. 679d; roent. 680c; tissue prep. 615r, 624q; ulcers 746u
MOVEMENTS, disord. 701m, 761e
MOVING PICTURES, 750w
MUCAESTHINE, 784b
MUCIN, 622f, 627k, 649v, 665b

- MUCOUS MEMBRANE, 7450; dis. 752q
 MUSCLES, abnorm. 609w; deltoid 717p; detrusor 659e; flexor digitorum longus 609w; dis. 701k; physiol. 658p, 683c, 7371, 742m, 780a, 796q; scaleus 755j; thenar 777p; tonus 623f; wds. & inj. 682d
 MUSHROOMS, 7411, 751f
 MUSIC, 654g
 MUTAGENESIS, chemical 674h
 MYASTHENIA, gravis 633e, 694c, 779e
 MYCOSIS, cutaneous 745v, 775q, 800d; fungoides 700t, 738r, 757p; ther. 771n
 MYOCAIN, 718d
 MYOCARDITIS, 697m, 778n; exper. 657g
 MYOPIA, 7251; ther. 660f
 MYRICIN, 774c
 MYXEDEMA, 745g, 765o, 783v; compl. & seq. 631s
 NAILS, 718b
 NAPHTHOQUINONES, 620v
 NECK, 631j; abnorm. 752k; dis. 745g
 NEOANTERGAN, 795b
 NEPHRITIS, 654f, 656f, 661s, 720j, 773h; etiol. & pathogen. 639b; ther. 641p
 NERVES, exper. 685w; hypoglossal 659g; oculomotor 792e; optic 693m, 703w, 724o, 776j, 782v, 792c, 792n, 792v; peripheral 610a, 668n, 683a; phrenic 672m, 672n; roots 659e; sciatic 718t; sensory 737u; splanchnic 654s, 6811, 687s; transpl. 790n; vagus 651w, 671m, 700d, 754n, 798r
 NERVOUS SYSTEM, 695m; anat. & histol. 648f; dis. 658m, 752-l, 760c; eff. of drugs on 673o; embryol. 737h; pathol. 788v; physiol. 658s, 658t, 737u; surg. 704a, 709a; tumors 735j
 NERVOUS SYSTEM, SYMPATHETIC, 708s, 718b, 737e; dis. 790u, 790v; eff. of drugs on 779r, 796e; physiol. 658v, 734q; surg. 709n, 764d; tumors 739r
 NEURALGIA, 658j, 786e; trigeminal 649m, 721m
 NEURASTHENIA AND PSYCHASTHENIA, 649i
 NEURITIS, 780k; etiol. & pathogen. 709p; multiple 634c, 717m
 NEURODERMATITIS, 745-l
 NEUROFIBROMATOSIS, 780r; compl. & seq. 631w, 708s
 NEUROLOGY, 699d, 770o
 NEURONS, 651r, 674f, 737e, 788s; develop. 748w
 NEURO PSYCHIATRY, 639d, 766e
 NEUROSES AND PSYCHONEUROSES, 712r, 721f, 721g, 7211, 759b, 789h, 790a; anxiety 761d, 789j; gastrointestinal 721h; in inf. & child. 794k; war 723-l
 NEUROSYPHILIS, ther. 694a
 NEVI, 745t, 797r
 NICKEL, tox. 768w
 NICOTINIC ACID, 703s, 713b, 797a; eff. 644w, 687a, 764n
 NIGHT BLINDNESS, 639i
 NIKETHAMIDE, ther. 636h
 NITRO COMPOUNDS, 780e
 NITROGEN, metab. 613o, 659r, 749-l, 755v, 755w
 NITROGEN MUSTARD, 617j, 623b, 695c, 702h, 716-l; eff. 637p
 NITROPHENOL, eff. 744f
 NOSE, cancer 726b, 738j; deform. 691d; discharge 632k; dis. 628p, 661o, 661v, 726a; hemorrh. 662b; obstruct. 632k; physiol. 766h; polyp 642n; surg. 661k, 726t, 766h; tumors 727h
 NUCLEIC ACID, 614p, 684b, 732p, 763v, 797g; metab. 614p
 NURSES AND NURSING, 635a, 646-l, 656a, 791g, 791h, 7911, 791j; educ. 723v, 789a; military & naval 787h, 787i, 787j; psychiat. 723v
 NUTRITION, 629p, 650h, 659-l, 709b, 775b, 791o; disord. 611q, 611r, 629o, 632o, 675p, 682o, 718j, 757u; exper. studies 659k, 665a
 NYSTAGMUS, 661h
 OBESITY, 646b, 694f, 703b; ther. 630e, 636s, 694g, 700m, 782b
 OBSTETRICS, 623o, 655e; hist. 761t; public health asp. 708p
 OCCUPATIONAL THERAPY, 626q, 689c, 690a
 ODORS, 664j, 686c
 OIL, 741f
 OINTMENTS, 617u, 641d, 729j
 OLD AGE, 659u, 749w, 751m, 751s, 756s, 757f, 758u, 771m; dis. 6191, 751r; econ. & soc. aspects 757i; pathol. 788s
 OMENTUM, dis. 776i; surg. 649u
 ONCHOCERCLASIS, 701f
 OPHTHALMOLOGY, 689w, 703j, 725a, 725f, 725g; appar. 660w, 791w, 793p; teaching 781n
 OPTIC CHIASM, 639k
 OPTOMETRY, 660j; appar. 660h; educ. 660u
 ORBIT, innerv. 789w
 ORTHOPEDICS, appar. 672c, 724a, 787v
 OSLER, WILLIAM (1849-1919), 773w
 OSSIFICATION, 657n
 OSTEOCHONDRITIS, deformans juvenilis 689j
 OSTEOMALACIA, 734v, 755o
 OSTEOMYELITIS, compl. & seq. 714f, 717u; diag. 654h; ther. 654d
 OTITIS MEDIA, ther. 636v, 712v
 OTOTOLOGY, teaching 781n
 OTORHINOLARYNGOLOGY, 655p
 OTOSCLEROSIS, 644e; etiol. & pathogen. 661j; ther. 712u, 785-l
 OUTPATIENT DEPARTMENT, 688w
 OVARY, abnorm. 752p; cancer 738j; cysts 671o, 680d; hormones 737g; surg. 623s; tumors 620f, 648k, 653e, 674m, 675a, 702k
 OVULATION, 631q, 687c
 OVUM, 623p, 654n
 OXALALDINEDIONES, 757h
 OXIDASE AND PEROXIDASE, 613r, 724e, 767m; amino acid 736r; pterine 614w; xanthine 647c
 OXIDATION-REDUCTION, 623k, 724k
 OXYGEN, 683k, 741v; appar. 647-l; defic. 624r, 673r, 685k, 685o, 695a, 759f, 778a; metab. 743r; ther. 773t
 OXYURIASIS, diag. 667n
 OYSTERS, 611h, 685q
 PAIN, 640u, 728u, 754f, 7551, 790q; ther. 649m
 PAINT, 634v
 PALATE, cleft 671r; surg. 671s
 PALPATION, 7551
 PANCREAS, calcification 777q, 777r; calculi 690p, 799n; cancer 640q, 691q, 747i; cysts 687q, 728m, 735e; dis. 681w, 692v, 734d, 799m; excis. 774q, 779i, 798c; islands of Langerhans 649a, 761a; physiol. 671p, 747j, 747-l; prep. 662k, 742v, 786a; secretion 705a; surg. 6451, 671d; tumors 798c
 PANCREATITIS, 642p, 781b, 781e, 799g; ther. 798p
 PANNICULITIS, 755e
 PAPAVERINE, ther. 638c
 PAPYRUS, med. 734i
 PARACELSUS, 776f
 PARALYSIS, 707p, 715-l, 775k; agitans 706b; brachial 712g; cerebral 700b, 763-l, 763m, 774c; facial 645b, 745c; flaccid 788v; spinal 789o; ther. 637j
 PARALYSIS, GENERAL, 746c, 746d, 792v
 PARASITES, 610n, 610p, 610v, 644q, 650c, 730d, 800k
 PARATHYROID, dia. 755a, 758r, 780u; tumors 777k
 PARATYPHOID, 618v, 755c; compl. & seq. 653k; epidemiol. & statist. 800e; vaccine 656j
 PARATYPHUS, 654c
 PARKINSONISM, 723n, 770-l; ther. 7851
 PAROTITIS, 719a; compl. & seq. 663d, 758v; diag. 794c

- PEDIATRICS, 636p,643f,643i,643-l,691k,698s,769j,
 794p
 PEDICULOSIS, 610-l,787g
 PELLAGRA, 653i,683v,783d
 PELVIS, dis. 708t; measurement 638m,708r; roent.
 635i; surg. 641s,799j; tumors 623p,699p,707h
 PEMPHIGUS, 617m,680j,680n,725v,746j,783j
 PENICILLIN, 624b,676m,682m,693c,696v,699k,703e,
 703j,720n,742b; admin. & dos. 638d,661k,717a,
 729j,754t; determ. 683h; eff. 644i,762n,767f; in
 dent. 678t; prod. 641f; ther. 617h,617o,628j,
 630c,633h,636v,640b,641p,654d,687k,690q,696b,
 698u,701r,712v,718i,728k,728-l,729b,740a,745p,
 752t,753p,754a,759g,767q,776u,782q,792d; tox.
 609i,680-l,719t,755u,763f; venereal dis. ther.
 637i,638d,656-l,694j,694k,706e,716h,735v,776r
 PEPTIC ULCER, 681i,687t,747m,747p,755v,798q;
 compl. & seq. 701t,770d; etiol. & pathogen.
 687s,778m; hemorrh. 710-l,773e,777i; in inf. &
 child. 728t; pain 754j; perl. 715r; surg. ther.
 628-l,654s,694a,700-l,717n,719q,754n,760p,767h,
 770k,799o; ther. 707r,770k,774k
 PEPTIDES, 683f
 PERCEPTION, extrasensory 622v
 PERIARTERITIS, nodosa 631-l,709o,710v
 PERICARDITIS, adhesive 634k,785p; with effusion
 761j
 PERICARDIUM, calcification 649u,785t; cysts
 695n; surg. 754-l; tumors 753k
 PERINEPHRITIS, 735n
 PERINEUM, 775r
 PERIODICALS, chem. 685i
 PERIOSTEUM, abscess 718i
 PERITONEUM, 738i; tumors 654i
 PERITONITIS, 756d,799k; exper. 799c; gonococcic
 687n,774f; pneumococcic 765-l; streptococcic
 768a; ther. 640k,798g
 PERSONALITY, 666j,667g,761h,788u,798p
 PESSARY, 734h
 PHARMACOPEIA, Brit. 641d
 PHARMACY, 729p,729q; hist. 753d
 PHARYNX, dis. 649j,681e; diverticula 799-l; tuber-
 culosis 784-l
 PHENERGAN, 640v; eff. 609-l
 PHENOLPHTHALEIN AND PHENOLPHTHALEIN
 DERIVATIVES, tox. 746a
 PHENOLS, aminophenols 729k
 PHENYLALANINE, 742g,743d; metab. 677b
 PHLEBITIS, compl. & seq. 635u
 PHEGMASIA ALBA DOLENS, ther. 652h
 PHOBIAS, 658h
 PHORIAS, 660f,771e
 PHOSPHATASE, 611k,644g,673d,745a,778f,779f;
 acid 686j; alkaline 614j,614k; pyro- 620k
 PHOSPHORUS AND PHOSPHORUS COMPOUNDS,
 613r,741m,744g,744q,749a,780m; metab. 743p,
 763u; ther. 680r
 PHOTOGRAPHY, 745o
 PHOTOMETRY, 621s
 PHYSICAL EFFICIENCY, 656d
 PHYSICAL EXAMINATION, 638r,689t
 PHYSICAL MEDICINE, 672o,726m,771m,787i
 PHYSICIANS, 637m,692i,702u,759m,764e,768-l;
 relation to patient 719m; women 763n
 PHYSICS, 620r,683n,684m,698g,750u
 PHYSIOLOGY, 611n,788q
 PHYSOSTIGMINE, 778g
 PIGMENTATION, cutaneous 672b,762r,783k; oral
 680f
 PILONIDAL SINUS, 769c
 PINTA, 712n,800d
 PIPERAZINES, 609f; ther. 701f,701g
 PIPERIDINE AND PIPERIDINE COMPOUNDS, eff.
 648u
 PITUITARY BODY, 703d,737v; anat. & histol.
 619n; dis. 712m,771u,789q; excis. 673k,675t;
 insuff. 655d; physiol. 625w,741-l; secretion
 630t,778v,796p
 PITUITARY PREPARATIONS, 687f,718k,779e; eff.
 750e; ther. 694o,711h
 PITYRIASIS, etiol. & pathogen. 716a; rubra pilaris
 746q
 PLACENTA, 769o; expulsion 770f; praevia 706g,
 709q
 PLANKTON, 621t,748r
 PLANTS, 620m,748w,749w; dis. 620-l; physiol.
 741g,741h,741v,747v,749e
 PLEURA, tumors 719g
 PLEURISY, 701r; ther. 767j; with effusion 634r,
 636-l,645-l
 PNEUMOCONIOSIS, 650-l,655a,733-l
 PNEUMONIA, 773j; epidemiol. & statist. 736m;
 etiol. & pathogen. 634u,781k; in inf. & child.
 772p; roent. 797n; ther. 629c,641a,692g,753v,
 759g; virus 630-l,634r,645c,705g,719p
 PNEUMOPERITONEUM, artif. 638h,757j
 PNEUMOTHORAX, 643i,644j,694t
 PNEUMOTHORAX, ARTIFICIAL, 706o,715c,769u,
 773o,784i; compl. & seq. 782r; in inf. & child.
 663p,753r
 POISONS AND POISONING, 653h,721g,782-l
 POLIOMYELITIS, 647m,662a,710t,764e,781r; diag.
 637g,691g; epidemiol. & statist. 663v,731j,787g;
 immun. 644n; pathol. 627-l,658r; research 648k;
 ther. 708m,709b,715r; virus 692v,693a,701v,
 778c
 POLYCYTHEMIA, 718o; cobalt 665q; compl. & seq.
 754c; ther. 641j,717n,785r
 POLYMYXIN, 627s,699k,748c,748d,748e,748f,748g,
 748h,748i,748j,748k,748-l,748m,748n,748o
 POPULATION, 623-l
 PORPHYRIN AND PORPHYRIN COMPOUNDS, me-
 tab. 653i,774-l,784v
 PORTAL VEIN, blood pressure 634n,766i
 POTASSIUM, 643w; metab. 631-l; ther. 619v; tox.
 642-l
 POWDERS, 653n,795c
 PRECIPITIN, reaction 627g,680j
 PREGNANCY, 624b,716f,775w,786c; blood in 619v,
 624c,628q,662j,769c; blood pressure in 624g;
 compl. 623u,624o,624s,638u,648k,735c,761a,763h;
 diag. 629t,630d,655s,697f,699h,705g; diet in 659j;
 ectopic 695h,705m,783b; exper. studies 649d;
 heart in 625b,653w,751v,788e; hemorrh. 704d,
 774h; hyg. 769f; kidneys in 752b; physiol. 753g;
 teeth in 648m; toxemia 640e,640f,640g,728t; tu-
 mors compl. 752o; urine in 624g; weight in 623v
 PRESCRIPTIONS AND PRESCRIBING, 664q
 PROCAINE AND PROCAINE COMPOUNDS, 616-l;
 eff. 714j; ther. 687k,690t; tox. 746t
 PROCTOLOGY, 681o,716c
 PROGERIA, 745s
 PROSTATE, cancer 662k,710t,733n,773s; dis.
 767i; hyper trophy 766r; inflamm. 641i; pathol.
 685n; surg. 759r; tumors 738e
 PROSTATECTOMY, 644c,671n,690f,766w
 PROTEINS, 622-l,681r,742n,743b,743k,749v,750c,
 770s; biochem. 676v; in diet 614u,637u,645e,
 660b,675q; metab. 609h,614c,675v,676m
 PROTHROMBIN, 713b
 PROTOPLASM, 683u
 PROTOZOA, 686q
 PRURIGO, 680k
 PRURITUS, ther. 618q,698p,778o; vulvar 624i,692e,
 775o
 PSEUDARTHROSIS, 798s; ther. 714t
 PSEUDORABIES, 779c
 PSITTACOSIS, virus 780e,780f
 PSORIASIS, 636b,745q,782o; blood in 618k; ther.
 703s
 PSYCHIATRY, 631a,657q,657r,657u,657v,658a,658-l,
 682q,683v,689a,699f,721f,750w,761e,761d,761f,
 761j,765m,766-l,766v,771e,782s,789e,789g,789d;
 in dent. 671c; in Swit. 721-l; mosaic test 658d;
 teaching 769t
 PSYCHOANALYSIS, 682i,710u,721v,722b,723i,723j,

- 1,675t;
 rection
 779e; eff.
 ra pilaria
 ia 706g,
 aysiol.
 on 634r,
 736m;
 child,
 g, 753v,
 5c, 769u,
 & child.
 -l
 81r; diag.
 731j, 787g,
 arch 648r;
 701v,
 mpl. & seq.
 48f, 748g,
 48o
 NDS, me-
 19v; tox.
 in 619v,
 624g;
 761a, 763b;
 et in 659j;
 649d;
 n. 704d,
 iol. 753g;
 728t; tu-
 in 623v
 4q
 g, 616-l;
 773s; dis.
 pathol.
 v, 750c,
 645e,
 n
 624i, 692e,
 ; ther.
 558a, 658-l,
 d, 761f,
 68g, 789d;
 est 658d;
 723i, 723j,
 723-1, 763-1, 789a, 789g, 789o
 PSYCHOLOGY, 652k, 657g, 665v, 666b, 666c, 666e,
 666f, 666v, 722d, 730m, 730n, 730o, 730p, 788f; ab-
 norm. 666g; appar. 666f; applied 730r; behavior-
 al spectrum 666f; genetic 666t, 666u, 667c; ges-
 talt 683s; social 721w
 PSYCHOSOMATIC MEDICINE, 617s, 621g, 655q,
 723s, 725g, 755e, 787r, 789r, 790u, 791a, 791b
 PSYCHOTHERAPY, 631m, 657v, 657w, 658i, 666k,
 666m, 666n, 682g, 682r, 731b, 789e, 789g, 791e
 PTERINS, 614w, 677g, 683g
 PUBLIC HEALTH, 706j, 719d; cooperation 731s;
 in Gt. Brit. 643c; in Poland 731t, 731u, 731v, 731w,
 732c, 732d, 732f, 732g
 PUERPERAL INFECTION, ther. 752t
 PUERPERIUM, blood in 628q
 PULMONARY VALVE, strict. 759c
 PUMPKINS, 748a
 PUPILS, dilatation & contraction 791v
 PURINE AND PURINE BASES, 682v
 PURPURA, 606d, 726i, 763r; annularis telangiectodes
 745s; etiol. & pathogen. 705p; haemorrhagica
 639f, 704o
 PYELOGRAPHY, 698s
 PYEMIA, 641r
 PYKNOLEPSY, 695t
 PYLORUS, hypertrophy & stenosis 663f, 728s;
 spasm 630f
 PYODERMA, 617i, 618-1, 618n
 PYOPYUMOTHOIRAX, tuberculous 784k
 PYRAMIDAL TRACT, surg. 781m
 PYRAZOLE DERIVATIVES, 714e
 PYRIBENZAMINE, 727g, 764s; eff. 637k
 PYRIDINE AND PYRIDINE COMPOUNDS, 796c;
 eff. 758e; ther. 706b
 PYRIDOXINE, tox. 712t
 PYRIDYLCARBINOLS, 651n, 651o, 651p
 PYRITHYLDIONE, 763i
 QUERCETIN, 659q
 QUINACRINE, tox. 626c, 746r
 QUINIDINE, tox. 740u
 QUININE, eff. 687a; ther. 663k; tox. 764v
 RABIES, 770t; immun. & vaccine ther. 731e
 RADIATIONS, 623d, 655e; eff. 621k, 622i, 677o, 788k;
 in, eff. 611d, 645m, 647o, 732t, 780d
 RADIOACTIVE SUBSTANCES, acetate 665h, 665j,
 678a; carbohydrates 613m; carbon 614-1, 614q,
 665h, 665j, 677k, 677o; carbon dioxide 676v, 678a;
 chloride 665e; disposal 678m; glucose 677k;
 glycine 614q; iodine 612c, 648a, 674p, 685o; iron
 625u, 647b; mosquitoes 655c; niacin 677o; nucleic
 acid 614p; phosphorus 647b, 666e; pyruvate
 665h, 665j, 678a; strontium 666e; tox. 648a; wa-
 ter 678m
 RADIOACTIVITY, 631q, 653v, 668i, 736p, 749u, 750q,
 751c, 751g, 751j, 763b
 RADIOLOGY, teaching 727f
 RADIOTHERAPY, 668s, 669u, 708r, 709e
 RADIUM, 788d; ther. 777n
 RADIUS, fract. 773a
 RAYNAUD'S DISEASE, 633c
 READING, 660t, 663s
 RECORDS, med. 787d
 RECRUITS, 653i, 656g
 RECTUM, cancer 631h, 655u, 727i, 776m; dia. 656c,
 664e, 775d; exam. 705n, 780w; prolapse 734h;
 surg. 699g, 706b, 798-1; tumors 668t, 706t; wds. &
 in, 635k
 RED CROSS, 644p, 732d
 REFLEX, cardiac 625g; grasping 772w; pupillary
 723d; respiratory 625g; vesicorectal 669-1
 REHABILITATION, 635e, 637h, 783f, 791g
 RELIGION, 689a, 696f, 765m, 769e
 REJUVENATION, 749w
 RELAPSING FEVER, 740g
 RESINS, acrylic 616c, 679m; tox. 618h
 RESPIRATION, 677h; artif. 650t, 701c; disord.
 628h; physiol. 620p, 621d, 633v, 664v, 730b
 RESPIRATORY TRACT, dia. 631e, 636f, 636b, 638n,
 653n, 656o, 694c, 694d, 755u, 776e, 787c
 RETICULOENDOTHELIAL SYSTEM, dia. 730p;
 dia. 746f
 RETINA, blood supply 639j, 640n, 655i, 773g, 793n;
 detached 724w; dia. 660p, 711u, 725b, 725e, 793o;
 hemorrh. 758j; pathol. 793f; physiol. 779f, 796j;
 tumors 663h, 781k, 792q; wds. & in, 773q
 RETINOCHOROIDITIS, 782i
 RH FACTOR, 638b, 653v, 655f, 662n, 673r, 688g, 707a,
 726s, 752a, 756m, 764r, 765d, 769c, 783u
 RHEUMATIC FEVER, 680j, 740d, 756g; cardiac
 compl. 634e, 659-1, 675j, 740r, 751w; compl. & seq.
 789m; epidemiol. & statist. 693f; etiol. & patho-
 gen. 663s; in inf. & child. 728k; ther. 632d, 639-1,
 728-1
 RHEUMATISM, 635e, 638r, 652n, 657i, 667f, 670p, 689j,
 692s, 692u, 703-1, 739c, 755e, 762d, 772h, 772i, 784n;
 compl. & seq. 699v, 721b, 762d, 772h, 772i, 784n;
 657-1; in inf. & child. 702m; ther. 641m, 714j,
 720u, 720v, 721a
 RHINOSCLEROMA, 639n
 RIBOFLAVIN, 680k; determ. 743o
 RIBS, 754c
 RICE, 684-1, 748q
 RICKETS, 663c; in inf. & child. 662v; ther. 728c
 RICKETTSIA, 701h
 RICKETTSIAL DISEASES, 611u, 718m; epidemiol.
 & statist. 636e
 RIGOR MORTIS, 703c
 RINGWORM, 670u, 747c
 ROCKY MOUNTAIN SPOTTED FEVER, 656o; ther.
 728v
 ROENTGEN RAYS, 732w, 733a, 733c, 742d; appar.
 668m; diag. 704b; diffraction 685a; eff. 611c,
 616h, 658f, 732p, 779p, 786c, 797s; in, eff. 628o,
 648k, 723a; protection against 785n; technic 738v,
 739c
 ROENTGENOLOGY, 644v, 689c
 ROENTGENOTHERAPY, 638s, 655f, 732t; dos. 668r,
 797t; high voltage 617f; technic 669i
 RORSCHACH TESTS, 721o, 721p, 721q, 721r, 721s,
 721t, 721u, 721v, 730q, 731a
 ROSEOLA, infantum 729a
 ROUND LIGAMENTS, tumors 672h
 RUBELLA, 727n, 761a, 763h; epidemiol. & statist.
 782g
 RUTIN, 628o, 633p, 659q, 751i, 755j
 SACCHARIDES, 662n, 741t
 SALAMANDERS, 651t
 SALICYL COMPOUNDS, aminosalicilic acid 645d,
 729k, 762k, 784s, 785i, 794i; methyl salicylate
 715a; sodium salicylate 795h; tox. 755f
 SALIVA, 616r
 SALIVARY GLANDS, calculi 744-1; innerv. 737o
 SALMONELLA, 779n; infect. 754b, 757i; typhimu-
 rium 743i, 778i
 SALTS, solutions 787c
 SAPONINS, 693c
 SARCOIDOSIS, 618i, 669k, 672t, 698i, 700m, 700o, 700q,
 720q, 726p, 745-1, 746b; compl. & seq. 656d, 690v;
 ther. 681c
 SARCOMA, chondrosarcoma 707h; compl. & seq.
 739p; etiol. & pathogen. 739j, 739n; exper. 648h,
 739m; fibrosarcoma 700s, 798r, 799d; Kaposi's
 745t, 756d; lymphosarcoma 650b; myosarcoma
 640p, 734q; reticulosarcoma 717h, 753k, 758s
 SCABIES, ther. 618q
 SCALP, anat. & histol. 680v
 SCAPULA, abnorm. 707c; tumors 694q
 SCARLET FEVER, ther. 629v
 SCHISTOSOMA, 610k, 650n
 SCHISTOSOMIASIS, 610t, 735p
 SCHIZOPHRENIA, 648i, 666p, 760e, 760f, 760g, 760h,
 760i, 760j, 761d, 775i; ther. 633r, 651c, 769v, 790-1
 SCHOOLS, 658a; health educ. 667h; nursery 656b,
 658c, 658v
 SCHOOLS, MEDICAL, 704f
 SCHÜLLER-CHRISTIAN SYNDROME, 797m
 SCIATICA, 715p, 733s, 782j, 782p
 SCIENCE, 623k, 682m, 683r, 685u, 708a; social 685s
 SCISSORS, 627k
 SCLERA, dia. 724w, 725b, 793f
 SCLERENCHYMA, 729h
 SCLERODERMA, 700u, 746m; ther. 700v, 784w

- SCLEROSIS, 700n,701m; amyotrophic lateral 654o,
 658i; multiple 722e,775e
 SCOPOLAMINE, tox. 695i
 SCOTOMA, 723c
 SCROTUM, 757j; cancer 675c; dis. 745q
 SCURVY, 684m,779g; in inf. & child. 662v; ther.
 630q,659q
 SEASONS, 718j
 SEBACEOUS GLANDS, chem. 673j
 SELENIUM COMPOUNDS, tox. 676c
 SEMILUNAR BONE, 669q
 SEMINAL VESICLES, 622g,651q; inflamm. 641i
 SEMPERVIRINE, 683i
 SEPTICEMIA, 661r,757i,776u; etiol. & pathogen.
 762w
 SERINE, 743w
 SEROTHERAPY AND HEMOTHERAPY, 690b
 SERUM, 739m,764u; immun. 799t
 SEX, 621g,621h,621j,621k,621m,642w,682e,789g;
 determ. 752u; educ. 621i,728v; perversion 621n,
 701e,711t,723k
 SEWAGE, disposal & purification 668a
 SHAMANISM, 674a
 SHOCK, 612p; exper. 779q; surgical 690h; thera-
 peutic 631a,633s,635m,639h,695w,699u,708f,721i,
 721k,721m,722b,722p,723o,780c,783p,788v,789p
 SHOES, 667k
 SHOULDER, pain 733u,756a
 SIGMOID, 672g; cancer 734f; tumors 668t
 SILVER, 749u; nitrate 725c
 SINUSES, NASAL, 712c; inflamm. 632k,636m,643a,
 662f,716g,726a; ther. 756i; tuberculosis 656b
 SJÖGREN'S SYNDROME, 653m,701m
 SKIN, 703d,746n; anat. & hist. 673i; atrophy 646c;
 bact. 647j; cancer 617r,668d,674o,745q,786m;
 dis. 617j,617-l,617n,617p,617s,636g,646c,689k,
 689o,691c,702c,717m,719t,745h,745k,746u,746w,
 747e,759o,776b,784o,792n; embryol. 672a; for.
 body 785s; innerv. 790i; permeability 681a; re-
 actions 663g,666g; temperature 636j; transpl.
 636o,663n,167j,674w,700s,700u,738w,746i
 782d,787u; tuberculosis 700p,746a,772a; tumors
 617j,674w,700s,700u,746g,738w,746i
 SLEEP, 725m,791e; disord. 629e,703b
 SMALLPOX, compl. & seq. 786v; vaccination 636g,
 644a
 SMELL, 664j,772i,789u,791c
 SNOW, 791h
 SOCIAL HYGIENE, 618h
 SOCIAL SERVICE, 688t
 SOCIAL SECURITY, 652-l,696i
 SODIUM, 764m; p-aminohippurate 649e; chloride
 619s; linoleate 768o; metab. 758c
 SOUNDS, 645e,649q,655f,717-l,739p; appar. 685e;
 perception 665u
 SPACE, perception 800t
 SPARTINE, eff. 687a
 SPECTRUM ANALYSIS, 682v,744h
 SPEECH, 750w; defects 691i,785h
 SPERMATIC CORD, cysts 762j; tumors 762j
 SPERMATOZOA, 611i
 SPINACH, 791p
 SPINAL CANAL ROENTGENOGRAPHY, 645b,655a
 SPINAL CORD, abnorm. 659f; abscess 768a; dis.
 709e; embryol. 737k,748w; regen. 790n; wds. &
 inj. 637j
 SPINAL PUNCTURE, 714-l
 SPINE, abnorm. 657i; arthritis 698r,755r,768b;
 cancer 669-l; dis. 653k,669k,669t; disloc. 772j;
 fract. 777a; innerv. 737f; intervertebral disks
 655a,657n,698m,707h,715p,723g; osteomyelitis
 715v; pathol. 637j; roent. 657d,657f,657m,694n,
 733c; tuberculosis 634c,652q
 SPIROCHAETA, 680g
 SPIROCHETOSIS, 712o,717r; icterohemorrhagic
 704u
 SPLANCHNOPTOSIS, 709p
 SPLEEN, abnorm. 716p; cysts 733i; dis. 799a;
 insuff. 661v; rupt. 799a; surg. 645i; tuberculosis
 711a
 SPLENECTOMY, 671p,672i,759b,785g; results
 633g
 SPLENOMEGALY, 785g; etiol. & pathogen. 641n,
 ther. 715i
 SPRUE, 715g; pathol. 765c; ther. 755a
 SPONGE, 706q
 STAINS AND STAINING, 621w,686i,686-l,686m,
 686n,686o; bact. 686k; methods 686i,686k
 STAPHYLOCOCCI, infect. 746e
 STARCH, 744e
 STERILITY, 623r,630w,655c,697g,708s,752m; ther.
 623s,709w,715-l
 STERILIZATION, sexual 632-l,635b,759q; surgical
 664p
 STERNUM, roent. 733a; tumors 669e
 STERIODS, 683i,693g; ther. 648n
 STOMACH, 727-l; blood supply 786o; calculi 735i;
 cancer 653o,668p,707f,734r,738e,780q,785-l;
 cardiospasm 619d,735i,754o,754p; dis. 671m,
 704v,709h; diverticula 732-l; inflamm. 690p,
 734c,754s,754u; motility 669h,706s,797v; mucosa
 743u,755t; obstruct. 619i,691n,734p; perf. 773s;
 roent. 644a,668k; secretion 649v,665b,681i,713-l,
 754s,759t,769m,777r; surg. 635r,653r,668k,670s,
 681u,712-l,717b,797v,798q; tumors 640p,734q,
 774p; volvulus 701t
 STOMACH TUBE, 798j
 STOMATITIS, 670i,678j; aphthous 756p
 STOMATOLOGY, 615k
 STRABISMUS, 725h,793s,793o; ther. 716g,792w
 STRATOSPHERE, chem. 683d
 STREPTAMINE, metab. 677a
 STREPTOCOCCI, lactis 767v; viridans 781k
 STREPTOMYCIN, 627s,693b,720n,754b,758j,784i,
 784k; admin. & dos. 661k; determ. 677n; eff.
 644i,704q,725f,772k,775h; prod. 647v; ther.
 633d,640b,649j,663j,670i,694-l,694p,698w,701r,
 704s,706k,716r,725j,727o,727p,758m,767h,773p,
 774v,777e,781b,786u,786v,786w,793d,798g; tox. 630u,
 635a,719t,745k,786f,790u,792e; tuberculosis
 ther. 629s,634n,634p,645q,655p,670c,700v,702j,
 710c,716s,716t,733h,760m,761u,772i,772j,784c,
 784f,784g,784h,784k,784-l,784m; venereal dis.
 ther. 656-l
 STRIDOR, 726e
 SUBMARINES, 720b
 SUICIDE, 653i,789b
 SULFHYDRYL COMPOUNDS, 768c,794v
 SULFONAMIDES, 786t; eff. 644i,691b; ther. 625n,
 629c,636v,640k,663j,681o,695-l,698b,753v; tox.
 690t,702c,772m,781w,785s
 SULFONES, ther. 713c
 SULFUR, biochem. 623j
 SUNGLASSES, 738-l
 SURGERY, 644f,646r,681h,719n,759w,760n,774o,
 774p,783a; operating rooms 757c; plastic 672d,
 726h; postop. care 626g,640o,700b; postop.
 compl. 673n,695c,696k,734a,787r; prep. care
 640o; risks 766g
 SUTURES, 714q,793b
 SWEAT, 617j
 SWEAT GLANDS, physiol. 729u,745m; tumors
 624b
 SWIMMING, 662i
 SWIMMING POOLS, 656o,787n
 SYMPATHECTOMY, 628-l,634i,665r,776c; eff.
 612o,730i
 SYNCHROTRON, 685c

- SYNOVIAL FLUID, 797c
 SYPHILIS, 624v, 691u, 700w, 767n; bismuth in 697-1, 776r; blood in 718h; compl. & seq. 745o, 754f; congen. 618e, 717k, 729d, 753m; diag. 617a, 703e, 712s, 755h; exper. 617k; penicillin ther. 638d, 706e, 735w, 776r; pregn. & syphilis 706e; prev. & control 735t; serodiag. 735v; tertiary 639p, 792c, 792d; ther. 617f, 617o, 630s, 694a, 708f, 766u, 783k, 785w
 SYRINGE, 664p, 686b, 692p
 TABES DORSALIS, 792g; arthropathy & osteopathy in 671i; compl. & seq. 792v; ther. 690q
 TABLETS, 664r
 TAKATA TEST, 643r
 TANNIN, eff. 783w
 TEETH, 615o, 678v, 703n; abnorm. 615e, 615v, 679n; 679b, 679i, 679j; anat. & histol. 615v, 615t, 679n; apicoectomy 678w; caries 611p, 615o, 616q, 616t, 616u, 616v, 648m, 659o, 678r, 680a, 680f, 686c, 744o, 744p, 774k; develop. 616p, 673d, 744n; dis. 679d; extraction 615g, 616i, 716v, 744-1; fillings 616m, 679k; impregnation 720m; malocclusion 616b; occlusion 679e; pathol. 616n, 616a; physiol. 745a; prosth. 615a, 616a, 616c, 619f, 679m; tumors 669c
 TELANGIECTASIS, 649-1, 711c, 711d, 718o, 720b, 756j
 TEMPERATURE, eff. 780d
 TEMPERATURE, BODY, 730a, 755, 778b
 TENDONS, rupt. 765v; surg. 671m, 774e, 799h; transpl. 712g
 TEROPHTERIN, ther. 675c
 TERSAVIN, 708n
 TESTES, abnorm. 692r; blood supply 610d; cancer 706v, 734d, dis. 708-1; transpl. 673f; undescended 656m
 TETANUS, 630n; antiserum 673a; cephalic 663a; immun. 627j; prev. 699b; t. her. 784e; toxin 675v
 TETANY, 624s, 728r; diag. 640p; etiol. & pathogen. 787r
 THALAMUS, 722m
 THEOBROMINE, 795h
 THEOPHYLLINE, eff. 629h, 652h, 777v; ther. 639v
 THEPHORIN, 698o
 THERAPEUTICS, 654t, 656v, 690s, 765n
 THIAMINE, 665-1; metab. 613p, 727b, 741n
 THIAZOLES, ther. 768s, 773a
 THIOSULFATES, ther. 635-1
 THIOUREA, 733t, 769c; chem. 683j; eff. 614b, 622h
 THORAX, 652a; deform. 706p; dis. 695v, 733k; xerent. 692f; diag. 643k, 653a, 673p, 706q; tumors 631g, 708j, 708r; wds. & inj. 735-1
 THORIUM, determ. 749f
 THROAT, dis. 661v
 THROMBIN, 747n, 779r
 THROMBOANGITIS, 648r; obliterans 634t, 671d
 THROMBOPHLEBITIS, 781-1; compl. & seq. 771-1; ther. 716o
 THROMBOSIS, 645t, 699-1, 726n, 754d, 764i; aortic 759k, 765u; auxiliary 706r, 798r; caval 755p; cerebral 780n; etiol. & pathogen. 763h; exper. 688c; mesenteric 756d; postop. 672g; subclavian 798v; ther. 700h, 703p
 THYMUS, excis. 633e
 THYROID, 631q, 647m, 659t, 703d, 713f, 751p; abnorm. 763b, 769r; cancer 688e, 697m, 772-1; dis. 728g; hyperthyroidism 647c, 649f, 649i, 694o, 710d, 715c, 755a, 769s; hypothyroidism 715c, 767d; physiol. 621c, 647f, 736p; preparations 614b, 749s; surg. 701f, 733t, 769p, 786s; tumors 733s, 769g
 THYROXIN, eff. 673k
 TIBIA, 711j; abnorm. 609v; deform. 717q
 TICKS, 610o, 611t, 611v
 TINEA, 745j, 800d
 TINNITUS, auralum 661m
 TISSUE, 685u; chem. 743k; culture 647i, 649b, 649g, 731d, 779s; sections 608f, 638i, 638k, 685n, 686h
 TOADS, 773-1
 TOBACCO, 682a; biochem. 613k, 614i
 TOMATOES, 741j, 748a
 TONGUE, 770g; anat. & physiol. 737m; black 763f; cancer 669-1, 712i, 786e; dis. 681e; inflamm. 771r; innerv. 796s
 TONSILLECTOMY, 661s, 661w, 662a, 662e; in inf. & child. 642t
 TONSILLITIS, 649n, 764i, 780k; compl. & seq. 717t
 TONSILS, 661c, 662i; hypertrophy 661g; infect. 661g, 692g; tumors 624q
 TORTICOLLIS, 753n
 TOKIN AND ANTITOKIN, 627j
 TOKOPLASMOSIS, 695r, 800c
 TRACHEA, 725s, 768i; abnorm. 797j; cancer 734t; tuberculosis 636o
 TRACHEOTOMY, 662a
 TREMATODES, 610b, 610j, 610r
 TREMOR, 789s
 TRICHINOSIS, 647s, 763h
 TRICHOMONAS, 676q
 TRICHOSMIASIS, vaginal 765q, 767e
 TRICHOPHYTON, 757q; tox. 680-1
 TRICHOPTOSIS, 670i
 TRIMETON, 759j
 TROPICAL MEDICINE, 617j, 617m, 748t; dis. 800g
 TRYPAELOSOMIASIS, 693m, 712p, 714c, 715n; ther. 610m
 TRYPSIN, 677n
 TRYPTOPHAN, 742g, 797f
 TSUTSUGAMUSHI DISEASE, bact. 627h; epidemiol. & statist. 799v
 TUBERCLE BACILLI, 782i; viability 716s, 772k; virulence 706n
 TUBERCULIN, 672u
 TUBERCULOSIS, 626q, 641w, 646h, 646i, 691i, 693u, 700r, 708m, 714m, 716s, 728d, 774u; avian 701d; Calmette Guérin immunization 636w, 651h, 706n, 717b, 728h, 733f, 733g, 785o; diag. 672s, 705r, 764t; econ. & soc. aspects 636q, 651j; epidemiol. & statist. 670k; immun. 712j, 783b; in inf. & child. 794i; in old age 631e; ment. aspects 636q; military 629s, 714-1, 784g; mortal. 635b, 757e; pathol. 799u; pregn. & tuberculosis 799m; prev. & control 631n, 670k, 703g, 733h, 766b; preventorium 753o; sanatoriums 672-1, 688t, 765k; streptomycin ther. 629s, 634n, 634p, 655p, 670c, 700v, 733h; surg. ther. 773o; ther. 672r, 717e, 749c, 762k, 785i; tuberculin reactions 672q, 715a, 728o; vaccine 641a
 TUBERCULOSIS, PULMONARY, 650-1, 650v, 652w, 670g, 732u, 761u, 774t; artif. pneumothorax in 645q, 656k, 717-1, 734c, 760m; compl. & seq. 694q; diag. 765j; in inf. & child. 762q; roent. 773n; streptomycin ther. 645q, 710c, 760m, 784f, 784h; surg. ther. 670h, 672m, 672n, 672o, 706q, 712w, 787g, 799m; ther. 645d, 652m, 696c, 709-1, 716t, 762k, 786a
 TULAREMIA, 627f, 700r, 764i; ther. 748m
 TUMORS, 635f, 739a, 764k; adenoma 672w, 705h, 705t, 734m, 777k, 783s, 799a; angioma 612w, 639m, 683h, 680o, 711-1, 735f, 756-1, 760v, 781k; astrocytoma 663r; cells 739-1, 739m; dermoid 717g; diag. 773n; Ewing's 758e; exper. 647t, 674q, 674u, 674v; fibroma 653c; fibromyoma 654a, 686b, 762j; giant cell 769b, 769g; glioma 727h; hamartoma 727d; in animals 739j; in inf. & child. 727j; lipoma 759j, 798m; lymphoblastoma 645w; lymphocytoma 746g; melanoma 700t, 700u, 724o; metastases 695i, 707i; myeloma 632a, 688p, 688q, 754c, 764p, 788j; myoma 625b, 703i, 746i, 774p, 777-1; myxoma 703i; neurinoma 659g, 735f, 780r; neuroma 624r; osteochondroma 694q; papilloma 688d; pheochromocytoma 620g, 645j; plasmoma 695i, 725u; radiother. 668t, 669c, 669e, 713v; teratoma 756q; ther.

- 620v, 695c, 713v; vaselinoma 670r; Walker 674p
- TURPENTINE, 795j, 795k
- TWINS, 624v; uniovular 725i, 791v
- TYPHOID, 618v, 634o, 755s; bacilli 800a; carriers 704h; epidemiol. & pathogen. 637c, 772b; immun. 643s; ther. 619j, 701d, 794h; vaccine 656j, 792r
- TYPHUS, 654c; epidemiol. & statist. 731k, 731-l, 800h
- TYROSINE AND TYROSINE COMPOUNDS, 614a, 742g
- TYROTHRIN, ther. 703k
- ULCERS, 654u ther. 644c, 655g
- UMBILICAL CORD, 752w
- UNDULANT FEVER, 692a, 696m, 699c, diag. 778q, ther. 633u, 696m, 706k, 748m, 757b
- URACHUS, tumors 735e
- URACIL, eff. 622h
- URANIUM, 622v
- UREA, eff. 678k; form. 677r; metab. 665e, 677s, ther. 640k
- UREMIA, 630f, 774f; compl. & seq. 642-l; exper. 637q; ther. 768g
- URETERS, calculi 628-l, 696e; cancer 638-l, catheters 759n; strict. 641s; surg. 687u, 735d, 735f, 7775-l
- URETHANE, eff. 648i; metab. 743c; ther. 631o, 641j, 700t
- URETHRA, abnorm. 786j; calculi 718c; diverticula 773q; inflamm. 719g, 756u; prolapse 773r; strict. 728n, 735q
- URIC ACID, metab. 620d
- URINARY TRACT, 767n; calculi 719d, 766c, 766d; dis. 761q; infect. 719s, 799j; obstruct. 637k; roent. 632i, 633p
- URINATION, disord. 624f, 624p, 693t, 695c, 717s, 763e; incontinence 711h, 723u, 752-l
- URINE, 749e, 796p; aminoacids 778w, bact. 652i, 654f, bilirubin 718r, 765d; chem. 778u; cystine & cysteine 743p; exam. 748m, 748s; histamine 743j; histidine 730j; phosphorus 649e; suppression 752r, 771u
- URTICARIA, 609d, 639t; pigmentosa 618d, 746h; ther. 708d
- UTERUS, adnexa 623u, 624w, 687k; bact. 624k; cancer 625g, 646f, 668k, 669g, 669n, 687o, 692m, 700a, 726r, 738i, 738o, 738p, 757n, 775m; contractions 687a; curettage 775p; cysts 687c; dis. 752q; eff. of drugs on 714g; excis. 624h, 711p, 714h, 734b, 771p, 777t; hemorrh. 625f, 752j; prolapse 624h, 734h; roent. 630w; tuberculosis 625q, 714o; tumors 734-l
- UTERUS, CERVIX, 687c; cancer 624j, 624-l, 625p, 691p, 756o, 765u; contractions 625c; dilatation 775p; dis. 766k; inflamm. 625-l; tuberculosis 734h
- UVEA, inflamm. 792d
- UVULA, 661n
- VAGINA, absence 698m; artif. 686v; cancer 625g; dis. 752-l; exam. 711r; hemorrh. 705m; secretion 639w, 643d, 686i, 714a; strict. 625f
- VARICELE, 639f
- VARICOSE VEINS, 688m, 712a, 735b, 770k, 771o; pathol. 798e; ther. 624a, 716f, 775c, 784q
- VATER'S AMPULLA, cancer 655r
- VEINS, abnorm. 673e; hepatic 641b, 665o; portal 647n; pulmonary 628r; roent. 735b; saphenous 624a, 735s
- VENAE CAVAE, 628r, surg. 650s, 776p
- VENEREAL DISEASES, 719j, 745i; in inf. & child. 664f; prev. & control 653j, 697n, 732c, 787d
- VENTILATION, 672-l
- VERATRUM, eff. 629g
- VERRUCA, 637b, 699d, 765v, 785q
- VERTIGO, 712d, 772m; aural 693c; ther. 701p
- VETERANS, disabilities 670h, 744m
- VETERINARY MEDICINE, 612d, 736f
- VIRUSES, 617p, 627b, 627c, 638j, 638q, 638r, 711d, 720g, 738q; culture 611n, dis. 609g, 715f, exper. 648c; infect. 715r; tobacco mosaic 676b
- VISAMMIN, eff. 729m
- VISCERA, dis. 718l, transposition 717w
- VISION, 658k; defective 630t; disord. 791u; field of 723b, 792s; physiol. 724s, 725k, 793c, tests 724r, 725d
- VITAL STATISTICS, 762c; mortal. 731q
- VITAMINS, 629-l, 629m, 637e, 659-l, 659u, 663g, 678o, 710a, 754w; defic. 676o, metab. 609h
- VITAMINS, A 639i, 727u, 750f, 751o, 765c, defic. 664p; metab. 659t
- VITAMINS, B 619e, 662s, 664i, 676o, 703s, 717a, 742e, 742-l, 743h, 748a, 749v, 750a, 778k, 778m, 778p, 779k, 779v, 780g, 786o, 797d
- VITAMINS, B₁₂ 613a, 647h, 647k, 647m, 647t, 676r, 685v
- VITAMINS, D 680n, 681c, 681d, 700v, 728c, 761t, 767j; eff. 616n
- VITAMINS, E 642q, 677j, 742u; determ. 614h; eff. 620j
- VITAMINS, K 683h, 692b, 797a
- VITREOUS HUMOR, 793d
- VOICE, 712t
- VOMITING, compl. & seq. 747q; in inf. & child. 692m; ther. 771u
- VULVA, tumors 624b, 644b
- WAR, biological 656t; civilian protection 652j; postwar problems 785p; prison & internment camps 658d, 719o; wds. & inj. 720q
- WASSERMANN REACTION, 712f
- WATER, 646v; metab. 612n, 636u, 692q; mineral 661q, 697a, 720u, 732h; supply 667-l, 787n
- WAX, 664s
- WHOOPING COUGH, 709a, 793v; compl. & seq. 640b; ther. 693d, 727o, 727p, 760s
- WORK, 689q
- WORMS, nitrogen metab. 613o
- WOUNDS, healing 704a, 792s
- WRITING, 789g
- XANTHINES, 647e; methyl 675r
- XANTHOMA, 711o, 745r
- XENOPHOBIA, 621m
- YAMS, 629m
- YEAST, 642q, 684b, 739g, 742r, 743-l, 743m, 750m; growth 676e
- ZINC, peroxide 729q; tox. 787e

ortal
enous

child.

ip

ld,
exper.

field
sts

g,678o,

ic.

a,742e,

p,779k,

676r,

11,767j;

a; eff.

child.

552j;

ment

neral

seq.

750m;